

Standard Chemical Thermodynamic Properties of Alkane Isomer Groups

Cite as: Journal of Physical and Chemical Reference Data **13**, 1173 (1984); <https://doi.org/10.1063/1.555726>
Published Online: 15 October 2009

Robert A. Alberty, and Catherine A. Gehrig



[View Online](#)



[Export Citation](#)

ARTICLES YOU MAY BE INTERESTED IN

Correlation of the chemical thermodynamic properties of alkane hydrocarbons

The Journal of Chemical Physics **60**, 3144 (1974); <https://doi.org/10.1063/1.1681500>

Electrical Resistivity of Aluminum and Manganese

Journal of Physical and Chemical Reference Data **13**, 1131 (1984); <https://doi.org/10.1063/1.555725>

Standard Chemical Thermodynamic Properties of Alkene Isomer Groups

Journal of Physical and Chemical Reference Data **14**, 803 (1985); <https://doi.org/10.1063/1.555737>

Where in the **world** is AIP Publishing?
Find out where we are exhibiting next



Standard Chemical Thermodynamic Properties of Alkane Isomer Groups

Robert A. Alberty and Catherine A. Gehrig

Department of Chemistry, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139

The chemical thermodynamic properties of alkane isomer groups from C_4H_{10} to $C_{10}H_{22}$ have been calculated from 200 to 1500 K from Scott's tables of 1974. The numbers of stereoisomers in each isomer group have been checked and all of them have been included in the calculations. The following properties for alkane isomer groups have been calculated with energy in joules for a standard state pressure of 1 bar: standard heat capacity at constant pressure, standard entropy, standard enthalpy of formation, standard Gibbs energy of formation, standard enthalpy relative to isomer group at 298.15 K, and standard enthalpy relative to the elements at 298.15 K. Equilibrium mole fractions within isomer groups have been calculated for the ideal gas state from 200 to 1500 K. The four basic properties are given for all the individual isomers in joules for a standard state pressure of 1 bar. The properties of individual alkanes from C_4H_{10} to $C_{10}H_{22}$ have also been calculated using the Benson group method and the resulting isomer group properties and equilibrium mole fractions have been calculated.

Key words: alkanes; Benson method; enthalpy of formation; entropy; Gibbs energy of formation; heat capacity; isomer group thermodynamic properties; isomer mole fractions; thermodynamic properties.

Contents

1. Introduction	1174	4. Standard entropy for alkane isomer groups in J/K mol	1177
2. Standard Thermodynamic Properties of Isomer Groups	1174	5. Standard enthalpy of formation for alkane isomer groups in kJ/mol	1178
2.1. Theory	1174	6. Standard Gibbs energy of formation for alkane isomer groups in kJ/mol	1178
2.2. Stereoisomers	1175	7. Standard enthalpy for alkane isomer groups relative to isomer groups at 298.15 K in kJ/mol ..	1179
3. Input of Data and Calculations	1176	8. Standard enthalpy for alkane isomer groups relative to the elements at 298.15 K in kJ/mol ..	1179
4. Tables of Standard Thermodynamic Properties of Alkane Isomer Groups	1176	9. Equilibrium mole fractions of alkanes within isomer groups	1181
5. Equilibrium Mole Fractions Within Alkane Isomer Groups	1180	10. Standard heat capacity at constant pressure for alkane isomer groups in J/K mol calculated using Benson group values	1184
6. Estimation of Thermodynamic Properties of Alkane Isomer Groups Using the Benson Group Method	1183	11. Standard entropy of alkane isomer groups in J/K mol calculated using Benson group values ..	1184
7. Discussion	1188	12. Standard enthalpy of formation of alkane isomer groups in kJ/mol calculated using Benson group values	1185
8. Nomenclature	1188	13. Standard Gibbs energy of formation for alkane isomer groups in kJ/mol calculated using Benson group values	1185
9. Acknowledgments	1188	14. Equilibrium mole fractions of alkanes within isomer groups calculated using Benson group values	1186
10. References	1188	A1. Standard heat capacity at constant pressure of alkanes in J/K mol	1190
Appendix: Standard Thermodynamic Properties of Individual Alkane Species	1189	A2. Standard entropy of alkanes in J/K mol	1192
		A3. Standard enthalpy of formation of alkanes in kJ/mol	1194
		A4. Standard Gibbs energy of formation of alkanes in kJ/mol	1196

List of Tables

1. Numbers of N_1 of isomers in isomer groups	1174
2. Numbers of structural formulas, chiral centers, isomers, and lines in tables for alkanes	1176
3. Standard heat capacity at constant pressure for alkane isomer groups in J/K mol	1177

© 1984 by the U.S. Secretary of Commerce on behalf of the United States. This copyright is assigned to the American Institute of Physics and the American Chemical Society.
Reprints available from ACS; see Reprint List at back of issue.

1. Introduction

When equilibrium calculations are made on organic systems with C_4 and larger molecules, the number of isomeric species which have to be included increases very rapidly with the carbon number. The seriousness of this problem is illustrated by Table 1 which shows the numbers of isomers, including stereoisomers, of the alkanes and alkenes, calculated by Read¹ and Nourse.² These numbers are so large for the higher hydrocarbons that it becomes impractical to put even all the known data in a calculation, and, of course, we cannot expect that the thermodynamic properties of so many species can be determined in the laboratory, or even be calculated by statistical mechanics. When the standard Gibbs energies of formation are known for all the isomers in a group, B. D. Smith³ shows that equilibrium calculations for ideal gases can be carried out in two steps: (1) The isomers in a group are treated as a single species and the equilibrium mole fractions of the isomer groups are calculated. (2) The equilibrium mole fraction in an isomer group is distributed between the various individual species in the group. This is possible because the distribution of isomers within a group depends only on the temperature. The first step of this calculation reduces the number of components by the number of independent equilibrium relations between isomers in the group; the isomer group becomes $N_1 - (N_1 - 1) = 1$ species, where N_1 is the number of isomers in the group. This has been done by a number of people⁴⁻⁹ by using the standard Gibbs energy of formation $\Delta_f G^\circ(I)$ of an isomer group. More recently it has been shown¹⁰ how the corresponding values of $C_p^\circ(I)$, $S^\circ(I)$, and $\Delta_f H^\circ(I)$ can be calculated for the isomer groups (see Sec. 2.1). Tables of these properties for the alkene isomer groups C_4H_8 , C_5H_{10} , and C_6H_{12} have been calculated, and extrapolation formulas for higher carbon numbers, for which data are not available, have been developed.¹¹

The existing data on the alkanes is complete through

$C_{10}H_{22}$, which has 136 isomers, and on the alkenes through C_6H_{12} , which has 18 isomers. Therefore, tables of standard chemical thermodynamic properties of these isomer groups can be prepared. Since the processing of petroleum and the production of synthetic fuels involves alkanes and alkenes of far higher carbon numbers than these, there is also the need to estimate chemical thermodynamic properties of these higher isomer groups. A good deal of work is involved in fully taking advantage of this method, and so this research has been undertaken to make the standard chemical thermodynamic properties of alkane isomer groups readily available. These calculations also indicate the feasibility of extrapolating these isomer group properties to higher carbon numbers.

In 1940 Pitzer¹² correlated existing thermodynamic data on the alkanes and extended them by statistical mechanics. Further work was done by Rossini, Pitzer, Arnett, Braun, and Pimentel¹³ who published tables in 1953. Some further small changes were made by Stull, Westrum, and Sinke¹⁴ in publishing their book in 1969. Scott's correlation of 1974¹⁵ incorporates more recent experimental data and considerable theoretical work.¹⁶ Some further changes in Scott's values were made in tables from the Thermodynamics Research Center at Texas A&M.¹⁷ The isomer group properties given in the current paper have been calculated from Scott's tables, with certain corrections which are discussed later.

2. Standard Thermodynamic Properties of Isomer Groups

2.1. Theory

When isomers are in equilibrium, it has been known for some time³⁻⁹ that they can be aggregated in calculations of equilibrium mole fractions by use of the standard Gibbs energy of formation $\Delta_f G^\circ(I)$ of the isomer group defined by

$$\Delta_f G^\circ(I) = -RT \ln \left[\sum_{i=1}^{N_1} \exp(-\Delta_i G_i^\circ/RT) \right], \quad (1)$$

where $\Delta_i G_i^\circ$ is the standard Gibbs energy of formation of an individual isomer and N_1 is the number of isomers in the group, including stereoisomers. The equilibrium mole fractions r_i of various isomers in a group can be calculated using

$$r_i = \frac{y_i}{y_1} = \exp\{[\Delta_f G^\circ(I) - \Delta_i G_i^\circ]/RT\}, \quad (2)$$

where y_1 is the sum of the mole fractions of the individual isomers. These equations can be rearranged to show more clearly the nature of the standard Gibbs energy of formation of an isomer group.

$$\Delta_f G^\circ(I) = \sum_{i=1}^{N_1} r_i \Delta_i G_i^\circ + RT \sum_{i=1}^{N_1} r_i \ln r_i. \quad (3)$$

The standard Gibbs energy of formation for an isomer group is equal to the weighted average standard Gibbs energy of formation for the isomers in the group plus the Gibbs energy of mixing of the isomer group, assuming ideal gases. Since the Gibbs energy of mixing is necessarily negative, $\Delta_f G^\circ(I)$ is more negative, or less positive, than the weighted average

TABLE 1. Numbers N_1 of isomers in isomer groups

N_C	Alkanes	Alkenes
1	1	
2	1	1
3	1	1
4	2	4
5	3	6
6	5	18
7	11	42
8	24	118
9	55	314
10	136	895
11	345	2 521
12	900	7 307
13	2 412	21 238
14	6 563	62 566
15	18 127	185 310
16	50 699	553 288
17	143 255	1 660 490
18	408 429	5 011 299
19	1 173 770	15 190 665
20	3 396 844	46 244 031

standard Gibbs energy of formation given by the first term. As can be seen from Eq. (1), $\Delta_f G^\circ(I)$ is more negative than the most negative Gibbs energy of formation in the isomer group. When standard Gibbs energies of formation of isomer groups are used to calculate equilibrium constants for reactions of ideal gases the equilibrium expression is written in terms of equilibrium mole fractions of isomer groups.¹⁰

Equation (1) provides the key for the calculation of the other thermodynamic properties of an isomer group because the other properties are obtained¹⁰ by the usual differentiations which yield

$$\Delta_f H^\circ(I) = \sum_{i=1}^{N_1} r_i \Delta_f H_i^\circ, \quad (4)$$

$$S^\circ(I) = \sum_{i=1}^{N_1} r_i S_i^\circ + \Delta S_{\text{mix}}^\circ, \quad (5)$$

$$C_p^\circ(I) = \sum_{i=1}^{N_1} r_i C_{pi}^\circ + C_{PLeC}^\circ. \quad (6)$$

The entropy of mixing the isomer group is given by

$$\Delta S_{\text{mix}}^\circ = -R \sum_{i=1}^{N_1} r_i \ln r_i, \quad (7)$$

and the contribution of the Le Chatelier term to the standard heat capacity at constant pressure is given by

$$C_{PLeC}^\circ = \frac{1}{RT^2} \left\{ \sum_{i=1}^{N_1} r_i (\Delta_f H_i^\circ)^2 - [\Delta_f H^\circ(I)]^2 \right\} \\ = \frac{1}{R} \left(\frac{\sigma_H}{T} \right)^2. \quad (8)$$

This contribution is proportional to the square of the standard deviation σ_H of the enthalpy of formation distribution and is, therefore, necessarily positive. If all the isomers had the same enthalpy of formation this contribution would disappear.

For the alkanes, the standard chemical thermodynamic properties for an isomer group are interrelated by

$$\Delta_f G^\circ(I) = \Delta_f H^\circ(I) \\ - T [S^\circ(I) - nS_{\text{graphite}}^\circ - (n+1)S_{H_2(g)}^\circ], \quad (9)$$

where n is the number of carbon atoms.

2.2. Stereoisomers

To calculate the chemical thermodynamic properties for an isomer group, a term must be included for each molecular species, including stereoisomers. In the alkane series, stereoisomerism does not arise until C_7H_{16} . As pointed out by Scott,¹⁴ correlations "can provide values of properties for the many compounds that have not been studied experimentally, even ones that have never been synthesized or isolated in the laboratory." In tabulating thermodynamic properties, Scott chose to give the properties for racemic mixtures of enantiomeric molecules by adding $R \ln 2$ to the calculated standard entropy and $-RT \ln 2$ to the standard Gibbs energy of one of the forms at each temperature. This practice has the advantage of avoiding the publication of identical lines for chiral molecules in thermodynamic tables, and so it has been followed here. It can be justified as follows: The Gibbs energy of formation $\Delta_f G^\circ(RS)$ of a racemic mixture is

given by

$$\Delta_f G^\circ(RS) = \frac{1}{2} \Delta_f G^\circ(R) + \frac{1}{2} \Delta_f G^\circ(S) \\ + RT \left(\frac{1}{2} \ln \frac{1}{2} + \frac{1}{2} \ln \frac{1}{2} \right). \quad (10)$$

Since

$$\Delta_f G^\circ(R) = \Delta_f G^\circ(S),$$

$$\Delta_f G^\circ(RS) = \Delta_f G^\circ(R) - RT \ln 2,$$

so that

$$e^{-\Delta_f G^\circ(RS)/RT} = e^{-\Delta_f G^\circ(R)/RT} e^{\ln 2} \\ = e^{-\Delta_f G^\circ(R)/RT} + e^{-\Delta_f G^\circ(S)/RT}. \quad (11)$$

The mole fraction of the RS pair in the isomer group is twice that of either the R or the S form so that appropriate values of $C_p^\circ(I)$, $S^\circ(I)$, and $\Delta_f H^\circ(I)$ are also obtained using the thermodynamic properties of the racemic mixture.

Compounds are named in tables according to the IUPAC Revised and Collected Recommendations for the Nomenclature of Organic Chemistry, 1978.¹⁸ For example, the two forms of 3-methylhexane are represented by 3R and 3S, and the racemic mixture is represented by 3RS-methylhexane. When there are two identical chiral centers, the *meso*-compound has to be shown on a separate line because it has different thermodynamic properties from the other two forms. For example, the chiral forms of 3,4-dimethylhexane are represented by 3R,4R-dimethylhexane and 3S,4S-dimethylhexane, the racemic mixture is represented by 3RS,4RS-dimethylhexane, and the *meso*-compound is represented by 3R,4S-dimethylhexane. When there are two different chiral centers, there are two different chiral pairs. For example, for 3,4-dimethylheptane there are two racemic mixtures, 3RS,4RS-dimethylheptane and 3RS,4SR-dimethylheptane. The molecule 3,4,5-trimethylheptane has a pseudoasymmetric atom and requires the use of the lower case symbols r and s. The publication on Nomenclature of Organic Chemistry¹⁸ defines a pseudoasymmetric atom as one bonded tetrahedrally to one pair of enantiometric groups (+)-a and (-)-a and also to two atoms or achiral groups b and c that are different from each other. For substances with two chiral centers, Scott also provided tables for equilibrium mixtures of the stereoisomers, but we have not used these tables.

Recently, Nourse² has programmed a computer to print out the structural formulas of the alkanes and identify the numbers of stereoisomers for each structural formula. The numbers of asymmetric centers and isomers of the alkanes are shown in Table 2. The total number of isomers is equal to the number of structural formulas, plus the number of structures with one chiral center, plus two times the number of structures with two identical chiral centers, plus three times the number of structures with two different chiral centers. The use of Nourse's calculations revealed two errors in Scott's table.

Scott did not identify 3-ethyl-2-methylhexane as having a chiral center, and so $R \ln 2$ has been added to each standard entropy and $-RT \ln 2$ to each standard Gibbs energy of formation. Scott does not provide two tables for 4-ethyl-3-methylheptane; two tables are required since this molecule has two different chiral centers. In calculating thermody-

TABLE 2. Numbers of structural formulas, chiral centers, isomers, and lines in Tables for alkanes

	Structural formulas	One center	Two centers	Total isomers	Number of lines
			Identical	Different	
C ₄ H ₁₀	2	0	0	0	2
C ₅ H ₁₂	3	0	0	0	3
C ₆ H ₁₄	5	0	0	0	5
C ₇ H ₁₆	9	2	0	0	11
C ₈ H ₁₈	18	4	1	0	24
C ₉ H ₂₀	35	12	1	2	55
C ₁₀ H ₂₂	75	28	3	9	136

^aThis number would be 87 except for 3,4,5-trimethylheptane, which has a pseudoasymmetric atom.

namic properties, the assumption has been made that the two diastereomeric pairs of this structure have the same properties. Examination of the other eight diastereomeric pairs showed that the error introduced in this way is not significant.

In tables listing individual isomers, abbreviated names of the type developed by Somayajulu and Zwolinski¹⁹ have been used. Methyl is represented by m, ethyl, by e, *n*-propyl by p, and *iso*-propyl by ip. The last number is the number of carbon atoms in the longest chain.

3. Input of Data and Calculations

The calculations in this paper were made using terminals connected to the IBM 370/168 in the MIT Computer Center. Programs were written in APL and tables were printed on a Xerox 8700 printer in the Computer Center. The values of C_p° , S° , $\Delta_f H^\circ$, and $\Delta_f G^\circ$ in the Scott tables for individual alkane species and racemates were typed in and were checked in the process and later in printouts. In view of the opportunities to introduce errors, two additional types of checks were made: (1) Computer programs were written to calculate first and second differences per 100 K for each species. The second differences provided an especially sensitive method for error detection. (2) A computer program was written to calculate $\Delta_f G^\circ(I)$ from $\Delta_f H^\circ(I)$ and $S^\circ(I)$ using Eq. (9). In the final tables no value of $\Delta_f G^\circ(I)$ deviates from the value calculated in this way by more than the uncertainty indicated by Scott.

The following corrections have been made to the Scott table.

Table 62 for 3RS_e2m6: $R \ln 2$ has been added to each standard entropy and $-RT \ln 2$ to each standard Gibbs energy of formation because of the chiral center.

Table 117 for 4RS_e3RS_m7: Since the table for the other diastereomeric pair 4RS_e3SR_m7 has been omitted, Table 117 has been used for both.

The following errors were identified from printouts of first and second differences; the changes make the first and second differences change in a smooth way.

Table 180 for 3e234mmm5: S° at 1100 K was changed from 234.0 to 240.0 cal K⁻¹ mol⁻¹.

Table 59 for 3R5Smm7: S° at 700 K was changed from 117.9 to 177.9 cal K⁻¹ mol⁻¹.

Table 6 for *n*-pentane: $\Delta_f G^\circ$ at 1100 K was changed

from 94.2 to 96.7 kcal mol⁻¹ and S° was changed from 149.3 to 147.0 cal K⁻¹ mol⁻¹.

4. Tables of Standard Thermodynamic Properties of Alkane Isomer Groups

The standard thermodynamic properties of the alkane isomer groups for the ideal gas state from C₄H₁₀ to C₁₀H₂₂ have been calculated from the tables prepared by Scott¹⁵ after making the corrections described in the preceding section. Since the International Union of Pure and Applied Chemistry has recently recommended that thermodynamic data be given in SI units for a standard state pressure of 1 bar (10⁵ Pa), this has been done for the tables in this article. The change in standard state pressure from 1 atm to 1 bar does not affect C_p° and $\Delta_f H^\circ$, but the standard entropy of an ideal gas is increased by

$$R \ln(1.013 25) = 0.109 \text{ J K}^{-1} \text{ mol}^{-1}$$

at any temperature and the standard Gibbs energy of formation is reduced by

$$[RT \ln(1.013 25)]\delta,$$

where δ is the net increase in moles of gas in the formation reaction.²⁰ It is important to emphasize that all calculations in this paper are for ideal gases.

The standard thermodynamic properties $C_p^\circ(I)$, $S^\circ(I)$, $\Delta_f H^\circ(I)$, and $\Delta_f G^\circ(I)$ for alkane isomer groups are given in Tables 3–6 along with calculations of the increments in going from one carbon number to the next. These increments provide a basis for the extrapolation of standard thermodynamic properties of alkane isomer groups to higher carbon numbers. In a general way, we would expect these increments to approach constant values as the carbon number increases at constant temperature. The increment in the standard enthalpy of formation at 298.15 K is of special interest because of the variety of homologous series for which it is known. Cox and Pilcher²⁰ point out that the increment in $\Delta_f H^\circ$ (298.15 K) of $-20.62 \text{ kJ mol}^{-1}$ found by Prosen and Rossini²¹ for the *n*-alkanes from C₆H₁₄ to C₁₂H₂₆ has come to be regarded as a "constant of nature" because it satisfactorily fits the experimental data for the higher members of the series of *n*-alk-1-enes, *n*-alkylbenzenes, *n*-alkylcyclohexanes, and *n*-alkylcyclohexanes. However, the increments per carbon atom for the four basic thermodynamic quanti-

THERMODYNAMIC PROPERTIES OF ALKANE ISOMER GROUPS

1177

Table 3. Standard heat capacity at constant pressure for alkane isomer groups in J/K mol

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	33.51	42.26	52.89	77.57	87.07	120.41	143.08	161.69	179.37	216.25
273.15	34.85	49.58	67.86	103.40	152.49	167.73	193.47	206.27	262.91	348.52
298.15	35.69	52.59	72.97	111.10	173.47	179.32	203.88	218.39	275.61	353.25
300.00	35.77	52.84	73.39	111.51	172.39	179.98	204.64	219.15	276.40	352.61
400.00	40.63	66.23	93.97	136.27	203.62	208.69	234.89	261.41	304.91	345.41
500.00	46.53	79.91	113.22	157.17	207.49	233.56	265.94	300.60	340.73	378.80
600.00	52.3	92.9	130.5	175.6	221.8	258.9	296.7	336.4	378.5	419.7
700.00	58.2	104.2	145.6	192.9	239.3	281.8	324.2	368.2	412.6	457.1
800.00	63.6	114.6	159.0	208.1	256.5	302.9	348.5	395.3	442.6	489.7
900.00	68.2	124.3	171.1	221.8	271.9	321.2	369.9	419.0	468.5	518.0
1000.00	72.8	132.6	181.6	233.8	286.1	337.3	388.2	439.4	490.9	542.5
1100.00	77.0	140.2	190.8	244.7	298.3	351.3	404.4	457.4	510.5	563.7
1200.00	80.3	146.9	199.2	253.9	309.2	363.9	418.6	473.1	527.8	582.5
1300.00	83.7	154.8	205.0	262.2	318.9	375.4	431.8	488.1	543.7	599.7
1400.00	87.9	159.0	213.4	270.4	327.2	385.2	444.4	501.0	557.7	614.2
1500.00	87.9	163.2	217.6	278.5	335.4	396.4	453.6	512.8	570.9	630.1

Table 3a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	8.74	10.63	24.69	9.49	33.34	22.67	18.61	17.68	36.88
273.15	14.73	18.28	35.53	49.10	15.24	25.74	12.80	56.64	85.61
298.15	16.90	20.38	38.13	62.37	5.85	24.55	14.52	57.22	77.63
300.00	17.07	20.54	38.13	60.87	7.59	24.67	14.50	57.25	76.21
400.00	25.61	27.74	42.30	67.35	5.07	26.19	26.52	43.50	40.50
500.00	33.39	33.30	43.95	50.32	26.06	32.38	34.66	40.13	38.07
600.00	40.6	37.7	45.1	46.2	37.1	37.8	39.7	42.1	41.2
700.00	46.0	41.4	47.3	46.4	42.5	42.4	44.0	44.5	44.5
800.00	51.0	44.4	49.1	48.4	46.4	45.6	46.8	47.3	47.2
900.00	56.1	46.9	50.7	50.1	49.3	48.7	49.1	49.4	49.6
1000.00	59.8	49.0	52.2	52.3	51.3	50.8	51.2	51.5	51.6
1100.00	63.2	50.6	53.9	53.6	53.1	53.1	52.9	53.2	53.1
1200.00	66.5	52.3	54.8	55.3	54.7	54.6	54.5	54.7	54.7
1300.00	71.1	50.2	57.2	56.7	56.5	56.5	56.2	55.7	56.0
1400.00	71.1	54.4	57.0	56.8	58.0	59.2	56.6	56.7	56.6
1500.00	75.3	54.4	61.0	56.8	61.0	57.2	59.2	58.1	59.2

Table 4. Standard entropy for alkane isomer groups in J/K mol

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	172.70	210.57	245.17	263.31	259.15	314.35	348.20	386.18	400.39	403.59
273.15	183.29	224.79	263.83	291.41	302.11	359.19	400.97	443.56	470.10	494.05
298.15	186.38	229.23	270.02	300.89	317.31	374.53	418.40	462.12	493.91	524.85
300.00	186.59	229.56	270.48	301.49	318.00	375.55	419.70	463.46	495.47	527.14
400.00	197.51	246.59	294.41	337.13	376.44	431.68	482.76	532.45	579.02	626.47
500.00	207.18	262.82	317.47	369.83	422.74	480.86	538.48	594.98	650.76	706.73
600.00	216.0	278.8	339.4	400.2	461.8	525.6	589.6	653.0	716.1	779.4
700.00	224.8	293.8	360.8	428.6	497.6	567.2	637.6	707.3	777.2	847.0
800.00	232.7	309.7	381.3	455.3	530.5	606.4	682.5	758.4	834.3	910.2
900.00	240.7	322.3	400.9	480.8	561.7	643.0	724.7	806.2	888.0	969.5
1000.00	248.2	336.1	419.3	504.7	591.1	677.9	764.7	851.5	938.5	1025.4
1100.00	255.3	349.1	436.9	527.5	618.9	710.6	802.4	894.2	986.2	1078.1
1200.00	262.0	361.6	454.1	549.2	645.2	741.8	838.3	934.7	1031.5	1128.0
1300.00	268.3	372.3	470.4	569.8	670.6	771.3	872.3	979.2	1074.4	1175.4
1400.00	275.0	385.0	485.9	589.6	694.5	799.4	904.6	1009.7	1115.1	1220.3
1500.00	280.9	396.3	500.9	608.3	717.3	826.5	935.6	1044.7	1154.1	1263.2

Table 4a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	37.87	34.60	18.14	-4.16	55.20	33.84	37.99	14.20	3.20
273.15	41.51	39.04	27.58	10.70	57.08	41.78	42.59	26.54	23.95
298.15	42.84	40.79	30.87	16.42	57.22	43.87	43.72	31.78	30.94
300.00	42.97	40.92	31.01	16.51	57.55	44.15	43.76	32.01	31.67
400.00	49.08	47.82	42.72	39.31	55.24	51.08	49.69	46.57	47.46
500.00	55.65	54.64	52.36	52.91	58.12	57.63	56.50	55.78	55.96
600.00	62.8	60.7	60.8	61.6	63.9	64.0	63.4	63.1	63.3
700.00	69.0	66.9	67.8	69.0	69.6	70.4	69.7	69.9	69.8
800.00	77.0	71.5	74.0	75.2	75.9	76.2	75.8	75.9	76.0
900.00	81.6	78.7	79.9	80.9	81.3	81.7	81.5	81.7	81.6
1000.00	87.9	83.3	85.4	86.3	86.8	86.8	86.8	87.0	86.9
1100.00	93.7	87.9	90.6	91.4	91.7	91.8	91.7	92.1	91.9
1200.00	99.6	92.5	95.1	96.0	96.6	96.4	96.5	96.7	96.5
1300.00	105.0	97.1	99.4	100.8	100.7	101.0	100.9	101.1	101.0
1400.00	110.0	100.8	103.8	104.9	105.0	105.2	105.0	105.4	105.2
1500.00	115.5	104.6	107.4	109.1	109.1	109.1	109.0	109.4	109.2

Table 5. Standard enthalpy of formation for alkane isomer groups in kJ/mol

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	-71.88	-78.66	-97.99	-125.95	-160.25	-171.71	-190.47	-208.82	-235.10	-263.89
273.15	-73.97	-82.42	-103.18	-131.45	-164.65	-178.29	-197.73	-217.54	-243.36	-269.71
298.15	-74.73	-83.68	-104.89	-133.14	-165.52	-180.13	-199.88	-220.26	-245.51	-270.79
300.00	-74.77	-83.76	-105.02	-133.30	-165.73	-180.29	-200.03	-220.47	-245.71	-270.86
400.00	-77.82	-88.62	-111.34	-139.47	-167.73	-187.23	-208.48	-230.76	-254.93	-278.59
500.00	-80.67	-92.72	-116.69	-144.75	-171.09	-193.62	-216.19	-239.66	-263.96	-288.07
600.00	-83.3	-96.2	-120.9	-149.0	-175.0	-198.9	-222.6	-246.8	-271.6	-296.1
700.00	-85.4	-98.7	-124.3	-152.4	-178.5	-203.4	-227.4	-252.2	-277.4	-302.4
800.00	-87.0	-99.2	-126.4	-154.9	-181.1	-206.2	-230.8	-255.9	-281.4	-306.7
900.00	-88.3	-101.3	-128.0	-156.2	-182.5	-207.9	-233.0	-258.3	-283.9	-309.5
1000.00	-89.5	-101.7	-128.9	-157.0	-183.3	-208.6	-233.9	-259.3	-284.9	-310.6
1100.00	-90.4	-101.7	-128.9	-157.0	-183.3	-208.7	-234.0	-259.3	-285.0	-310.7
1200.00	-90.8	-100.8	-128.4	-156.5	-182.5	-207.9	-233.0	-258.3	-283.9	-309.4
1300.00	-91.2	-100.0	-127.2	-155.5	-181.1	-206.5	-231.5	-256.7	-282.1	-307.5
1400.00	-91.2	-98.3	-125.9	-153.7	-179.4	-204.4	-229.4	-254.3	-279.6	-304.8
1500.00	-91.2	-96.7	-124.3	-152.1	-177.2	-202.0	-226.5	-251.4	-276.4	-301.4

Table 5a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	-6.78	-19.33	-27.97	-34.29	-11.46	-18.76	-18.35	-26.28	-28.78
273.15	-8.45	-20.75	-28.27	-33.20	-13.64	-19.44	-19.81	-25.82	-26.35
298.15	-8.95	-21.21	-28.25	-32.38	-14.61	-19.75	-20.38	-25.25	-25.28
300.00	-9.00	-21.25	-28.28	-32.44	-14.56	-19.74	-20.44	-25.24	-25.14
400.00	-10.79	-22.72	-28.13	-28.26	-19.49	-21.25	-22.28	-24.17	-23.66
500.00	-12.05	-23.97	-28.06	-26.34	-22.54	-22.57	-23.47	-24.29	-24.11
600.00	-13.0	-24.7	-28.1	-26.0	-23.9	-23.6	-24.2	-24.8	-24.5
700.00	-13.4	-25.5	-28.1	-26.1	-24.9	-24.0	-24.8	-25.2	-25.1
800.00	-12.1	-27.2	-28.5	-26.2	-25.2	-24.6	-25.1	-25.5	-25.3
900.00	-13.0	-26.8	-28.2	-26.3	-25.4	-25.1	-25.3	-25.5	-25.6
1000.00	-12.1	-27.2	-28.1	-26.3	-25.3	-25.4	-25.4	-25.6	-25.6
1100.00	-11.3	-27.2	-28.1	-26.3	-25.4	-25.3	-25.3	-25.7	-25.7
1200.00	-10.0	-27.6	-28.0	-26.1	-25.4	-25.1	-25.3	-25.6	-25.5
1300.00	-8.8	-27.2	-28.3	-25.6	-25.3	-25.0	-25.2	-25.5	-25.4
1400.00	-7.1	-27.6	-27.7	-25.7	-25.0	-25.0	-25.0	-25.2	-25.3
1500.00	-5.4	-27.6	-27.8	-25.2	-24.7	-24.6	-24.9	-25.0	-25.0

Table 6. Standard Gibbs energy of formation for alkane isomer groups in kJ/mol

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	-58.05	-47.91	-49.64	-56.79	-65.76	-63.75	-64.81	-66.27	-70.88	-75.84
273.15	-52.69	-36.05	-31.17	-30.59	-30.31	-23.21	-17.67	-12.73	-9.45	-5.97
298.15	-50.68	-31.73	-24.46	-21.22	-17.86	-8.87	-1.05	6.19	12.13	18.28
300.00	-50.51	-31.44	-23.96	-20.56	-17.06	-7.81	.20	7.60	13.72	20.09
400.00	-41.96	-13.22	4.06	17.99	33.19	50.75	68.23	85.23	101.60	118.11
500.00	-32.66	6.09	33.55	58.00	83.89	111.00	138.31	165.29	191.78	218.39
600.00	-22.9	26.1	63.8	98.9	135.2	172.5	209.9	247.0	283.6	320.5
700.00	-12.5	46.6	95.2	140.7	187.4	234.7	282.2	329.7	376.6	423.7
800.00	-2.0	67.5	126.6	182.6	239.9	297.5	355.4	413.0	470.3	527.8
900.00	8.5	88.9	158.4	224.9	292.4	360.5	428.7	496.8	564.5	632.3
1000.00	19.4	109.8	190.3	267.2	345.3	423.9	502.4	580.8	658.8	737.0
1100.00	30.2	131.2	222.1	309.7	398.1	486.9	576.0	664.8	753.2	841.8
1200.00	41.1	152.1	253.9	352.0	451.0	550.2	649.5	748.8	847.5	946.4
1300.00	52.4	173.1	285.8	394.4	503.8	610.2	720.1	832.7	941.7	1050.9
1400.00	63.3	194.0	317.6	436.6	556.4	676.3	796.4	916.5	1035.8	1155.5
1500.00	74.2	215.0	349.0	478.8	608.8	739.1	869.6	1000.0	1129.7	1259.6

Table 6a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	10.15	-1.74	-7.15	-8.97	2.01	-1.06	-1.46	-4.62	-4.96
273.15	16.64	4.88	.58	.28	7.10	5.54	4.94	3.27	3.48
298.15	18.94	7.27	3.24	3.37	8.98	7.83	7.24	5.94	6.16
300.00	19.07	7.48	3.40	3.50	9.25	8.01	7.41	6.12	6.36
400.00	28.75	17.28	13.92	15.20	17.57	17.47	17.00	16.37	16.51
500.00	38.76	27.46	24.45	25.90	27.11	27.31	26.98	26.50	26.61
600.00	49.0	37.7	35.1	36.4	37.3	37.4	37.1	36.6	36.9
700.00	59.1	48.6	45.5	46.6	47.4	47.5	47.5	47.0	47.1
800.00	69.5	59.1	55.9	57.3	57.6	57.8	57.6	57.3	57.5
900.00	80.4	69.6	66.5	67.5	68.1	68.2	68.1	67.7	67.8
1000.00	90.5	80.4	77.0	78.0	78.6	78.5	78.4	78.0	78.2
1100.00	101.0	90.9	87.6	88.4	88.8	89.1	88.8	88.4	88.6
1200.00	111.0	101.8	98.0	99.0	99.3	99.3	99.3	98.7	98.9
1300.00	120.6	112.7	108.7	109.3	109.4	109.9	109.6	109.0	109.3
1400.00	130.7	123.6	119.0	119.8	119.9	120.1	120.1	119.3	119.7
1500.00	140.7	134.1	129.7	130.0	130.3	130.4	130.4	129.7	130.0

THERMODYNAMIC PROPERTIES OF ALKANE ISOMER GROUPS

1179

Table 7. Standard enthalpy for alkane isomer groups relative to isomer group at 298.15 K in kJ/mol

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	-3.37	-4.63	-6.19	-9.34	-14.70	-14.99	-17.44	-18.84	-23.32	-30.26
273.15	-9.90	-1.34	-1.82	-2.78	-4.54	-4.51	-5.14	-5.51	-7.01	-9.02
298.15	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
300.00	.08	.11	.14	.18	.20	.32	.40	.41	.49	.70
400.00	3.86	6.01	8.50	12.61	20.73	19.84	22.33	24.42	29.50	35.12
500.00	8.19	13.34	18.83	27.26	41.55	41.87	47.30	52.46	61.66	71.08
600.00	13.0	21.8	31.0	43.9	63.1	66.5	75.4	84.3	97.5	111.0
700.00	18.6	31.6	44.8	62.4	86.1	93.3	106.5	119.5	137.0	154.7
800.00	24.7	43.9	60.3	82.3	110.9	122.7	140.1	157.8	179.9	202.2
900.00	31.5	54.8	76.6	104.0	137.4	154.0	176.0	198.4	225.5	252.5
1000.00	38.3	67.6	94.1	126.7	165.3	187.1	214.0	241.4	273.5	305.7
1100.00	45.8	81.1	112.9	150.7	194.5	221.4	253.5	286.3	323.6	360.9
1200.00	53.8	95.7	132.4	175.6	225.0	257.3	294.9	333.1	375.7	418.5
1300.00	61.9	110.6	153.0	201.4	266.6	294.3	337.6	381.2	429.4	477.6
1400.00	70.6	126.4	173.9	228.4	289.0	332.6	381.3	430.7	484.7	538.7
1500.00	79.4	142.4	195.6	255.6	322.3	371.7	426.5	481.5	541.4	601.2

Table 7a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	-1.26	-1.56	-3.16	-5.35	-.29	-2.45	-1.41	-4.47	-6.94
273.15	-.44	-.48	-.96	-1.75	.03	-.63	-.37	-1.51	-2.01
298.15	.00	.00	.00	.00	.00	.00	.00	.00	.00
300.00	.03	.03	.04	.02	.12	.07	.02	.08	.21
400.00	2.16	2.49	4.11	8.11	-.89	2.49	2.10	5.08	5.62
500.00	5.15	5.49	8.44	14.29	.32	5.42	5.16	9.20	9.42
600.00	8.7	9.3	12.9	19.2	3.4	8.9	8.9	13.2	13.5
700.00	13.0	13.2	17.6	23.8	7.2	13.2	13.0	17.5	17.7
800.00	19.2	16.4	22.1	28.5	11.8	17.5	17.7	22.1	22.3
900.00	23.3	21.8	27.4	33.4	16.6	22.0	22.4	27.1	27.0
1000.00	29.3	26.5	32.6	38.6	21.8	26.9	27.5	32.1	32.1
1100.00	35.4	31.7	37.8	43.8	26.9	32.2	32.8	37.9	37.9
1200.00	41.9	36.6	43.3	49.4	32.3	37.7	38.1	42.7	42.8
1300.00	48.6	42.5	48.4	55.2	37.8	43.2	43.7	48.2	48.4
1400.00	55.8	47.6	54.5	60.6	43.6	48.7	49.4	54.0	54.0
1500.00	63.1	53.1	60.0	66.7	49.4	54.7	55.1	59.8	59.8

Table 8. Standard enthalpy for alkane isomer groups relative to the elements at 298.15 K in kJ/mol

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	-78.09	-88.31	-111.08	-142.48	-180.22	-195.12	-217.31	-239.10	-268.83	-301.05
273.15	-75.63	-85.02	-106.71	-135.92	-170.06	-184.64	-205.02	-225.76	-252.52	-279.81
298.15	-74.73	-83.68	-104.89	-133.14	-165.52	-180.13	-199.88	-220.26	-245.51	-270.79
300.00	-74.54	-83.57	-104.75	-132.96	-165.32	-179.81	-199.48	-219.85	-245.02	-270.09
400.00	-70.87	-77.67	-96.39	-120.53	-144.79	-160.29	-177.55	-195.84	-216.01	-235.67
500.00	-66.54	-70.34	-86.07	-105.88	-123.97	-138.26	-152.58	-167.80	-183.85	-199.71
600.00	-61.7	-61.9	-73.8	-89.2	-102.4	-113.6	-124.5	-136.0	-148.0	-159.8
700.00	-56.1	-52.1	-60.1	-70.8	-79.4	-86.8	-93.4	-100.8	-108.5	-116.1
800.00	-50.0	-39.8	-44.6	-50.8	-54.7	-57.5	-59.7	-62.4	-65.6	-68.6
900.00	-43.3	-28.9	-28.3	-29.2	-28.1	-26.1	-23.9	-21.9	-20.0	-18.3
1000.00	-36.4	-16.0	-10.8	-6.4	-.2	7.0	14.1	21.2	28.0	34.9
1100.00	-28.9	-2.5	8.0	17.6	28.9	41.2	53.7	66.0	78.1	90.1
1200.00	-21.0	12.0	27.5	42.5	59.5	77.1	95.0	112.8	130.2	147.7
1300.00	-12.8	26.8	48.1	68.2	91.1	114.2	137.6	160.9	183.9	207.0
1400.00	-4.2	42.7	69.0	95.2	123.5	152.5	181.5	210.4	239.2	267.9
1500.00	4.6	56.7	90.7	122.4	156.0	191.6	226.6	261.0	295.9	330.4

Table 8a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	-10.22	-22.77	-31.40	-37.73	-14.90	-22.19	-21.79	-29.72	-32.22
273.15	-9.39	-21.69	-29.21	-34.14	-14.58	-20.38	-20.75	-26.76	-27.29
298.15	-8.95	-21.21	-28.25	-32.38	-14.61	-19.75	-20.38	-25.25	-25.28
300.00	-8.92	-21.18	-28.21	-32.37	-14.49	-19.67	-20.37	-25.17	-25.07
400.00	-6.80	-18.72	-24.14	-24.27	-15.50	-17.26	-18.29	-20.17	-19.66
500.00	-3.80	-15.73	-19.81	-18.09	-14.29	-14.32	-15.23	-16.05	-15.86
600.00	-.2	-11.9	-15.3	-13.2	-11.2	-10.9	-11.5	-12.1	-11.8
700.00	4.1	-8.1	-10.7	-8.6	-7.4	-6.6	-7.4	-7.7	-7.6
800.00	10.2	-4.9	-6.2	-3.8	-2.8	-2.3	-2.7	-3.2	-3.0
900.00	14.4	.6	-.9	1.1	2.0	2.2	2.0	1.8	1.8
1000.00	20.3	5.3	4.3	6.2	7.2	7.1	7.1	6.9	6.9
1100.00	26.4	10.5	9.6	11.4	12.3	12.4	12.4	12.0	12.0
1200.00	33.0	15.4	15.0	17.0	17.7	17.9	17.7	17.4	17.5
1300.00	39.7	21.3	20.1	22.8	23.1	23.4	23.3	23.0	23.1
1400.00	46.8	26.3	26.2	28.2	29.0	29.0	29.0	28.7	28.7
1500.00	54.1	31.9	31.8	34.4	34.8	35.0	34.7	34.6	34.5

ties for isomer groups are not constant, except at the higher temperatures. As shown in Table 5, the increments in $\Delta_f H^\circ(I)$ per carbon vary from -14.60 to $-32.38 \text{ kJ mol}^{-1}$ at 298.15 K . However, at about 600 K and above the increments per carbon atom are quite constant. The reason for this, which will be discussed later, is that particular isomers in each isomer group may tend to dominate at lower temperatures because they have lower enthalpies of formation. At higher temperatures, where the mole fractions of isomers in the isomer group are determined primarily by the entropy of formation, the increments per carbon atom vary much less with carbon number. The tables of increments per carbon atom give a good indication of the extent to which standard thermodynamic properties of isomer groups may be extrapolated above $C_{10}H_{22}$ for each temperature.

Table 7 gives

$$H^\circ(I, T) - H^\circ(I, 298.15 \text{ K}),$$

the standard enthalpy for an isomer group relative to the isomer group at 298.15 K . Scott¹⁵ had given values for $H^\circ - H^\circ(0 \text{ K})$, but for isomer groups 298.15 K is a better reference temperature since at 0 K a single isomer or racemate is present at equilibrium.

With regard to the uncertainties in the statistical mechanical correlations, Scott has rounded to the number of decimal digits appropriate to the accuracy. However, he points out that as a matter of practical convenience a uniform pattern of rounding and subscripting was used throughout the tables. This means that the rounding may be overly conservative for the lower alkanes and may attribute undue accuracy to the values for the most highly branched decanes, for which no calorimetric data exist. We have followed Scott's indicated accuracy as closely as possible.

Table 8 gives values for

$$H^\circ(I, T) - H^\circ(I, 298.15 \text{ K}) + \Delta_f H^\circ(I, 298.15 \text{ K}),$$

the standard enthalpy for the isomer group relative to the elements at 298.15 K . This quantity allows the direct calculation of heat effects when the reactants and products are at different temperatures. The values in Table 8 were not calculated directly from Scott's tables since they can be calculated from $\Delta_f H^\circ(I)$ and values of $H^\circ - H^\circ(298.15 \text{ K})$ for graphite and hydrogen gas.

5. Equilibrium Mole Fractions Within Alkane Isomer Groups

The equilibrium mole fractions within isomer groups calculated from Scott's standard Gibbs energies of forma-

tion are given in Table 9. Since the uncertainties in $\Delta_f G^\circ(I)$ and $\Delta_f G_i^\circ$ are about the same, the uncertainty in the difference is nearly independent of the relative values of the two parameters, but the uncertainty in the difference does increase with temperature. Since the nearly constant uncertainty is in the exponent in the calculation, the equilibrium mole fractions of the isomers at a given temperature are uncertain by the same factor, whether they are large or small. The usual equation for the propagation of variance indicates that the equilibrium mole fractions are uncertain by about 15% at the lower temperatures and 10% at the higher temperatures. This makes it difficult to indicate the uncertainties in the table. It could be done by using exponential notation, but this makes it difficult to compare the mole fractions of various isomers.

Table 9 shows that in general the more highly branched isomers have very low equilibrium mole fractions at any temperature. The isomers with more methyl groups and more opportunities for steric hindrance have more positive standard Gibbs energies of formation. At higher temperatures, these differences are not so pronounced, reflecting the fact that the statistical mechanical entropies are more similar than the enthalpies of formation. However, 22mm3, 22mm4, 22mm5, 22mm6, 225mm6, and 2255mmmm6 present striking exceptions to these generalizations. Since the calculated equilibrium mole fraction of the decane 2255mmmm6 is 0.86 at 200 K , we made some additional calculations using the properties of 224RS5mmmm6 (with the entropy of mixing and Gibbs energy of mixing removed) replacing Scott's values for 2255mmmm6. With these new values, 2255mmmm6 had an equilibrium mole fraction of 0.012 at 200 K and 0.0006 at 1500 K , and 226mm7 ($y_i = 0.52$) and 225RSmmmm7 ($y_i = 0.26$) became the most abundant species at 200 K . However, as Professor Kenneth S. Pitzer pointed out to me, 2255mmmm6 is di-neopentyl which does not have much strain because the neopentyl groups are so far apart. In general, multiple branching introduces strained structures, but in this case the strain is modeled accurately by neohexane (22mm4) which is quite stable relative to the other hexanes at low temperatures. The stability of di-neopentyl and of other species referred to earlier in this paragraph at low temperatures is confirmed by calculations using the Benson group method, which are described in the next section. The values in Tables 3 to 9 have all been calculated using Scott's values.¹⁶ Since the heat of combustion has not been determined for 2255mmmm6, it certainly would be desirable to obtain experimental data on this species to determine how low its standard enthalpy of formation is.

THERMODYNAMIC PROPERTIES OF ALKANE ISOMER GROUPS

181

Table 9. Equilibrium mole fractions within alkane isomer groups

T/K	200	273	298	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
butanes																
4	.0324	.1203	.1606	.1619	.3170	.4424	.5418	.5889	.6232	.6617	.6911	.6950	.7156	.7169	.7252	.7323
2m3	.9676	.8797	.8994	.8381	.6830	.5576	.4582	.4111	.3768	.3383	.3089	.3050	.2844	.2831	.2748	.2677
pentanes																
5	.0003	.0098	.0214	.0212	.1177	.2245	.2951	.3623	.3967	.4242	.4449	.4616	.4749	.4861	.4868	.4952
2m4	.0068	.0946	.1571	.1563	.4411	.5554	.5773	.5577	.5433	.5305	.5174	.5059	.4953	.4861	.4868	.4789
22mm3	.9929	.8956	.8214	.8225	.4411	.2200	.1276	.0801	.0601	.0453	.0378	.0325	.0298	.0277	.0265	.0259
hexanes																
6	.0015	.0168	.0281	.0289	.0913	.1542	.2091	.2354	.2646	.2941	.3077	.3188	.3256	.3330	.3305	.3326
2m5	.0345	.1345	.1736	.1738	.2797	.3150	.3180	.3138	.3196	.3110	.3077	.3046	.2994	.2965	.2968	.3007
3m5	.0091	.0545	.0772	.0790	.1629	.2106	.2273	.2530	.2485	.2487	.2516	.2536	.2532	.2539	.2570	.2543
22mm4	.9324	.7322	.6477	.6432	.3736	.2306	.1625	.1233	.0967	.0813	.0715	.0643	.0634	.0583	.0589	.0581
23mm4	.0225	.0620	.0734	.0751	.0925	.0895	.0831	.0745	.0706	.0650	.0615	.0587	.0583	.0568	.0543	
heptanes																
7	.0013	.0141	.0226	.0204	.0680	.1110	.1402	.1693	.1932	.1972	.2100	.2179	.2234	.2280	.2285	.2252
2m6	.0330	.1174	.1450	.1484	.2164	.2337	.2318	.2258	.2192	.2205	.2100	.2082	.2054	.2030	.1979	.1969
3RSm6	.0147	.0797	.1088	.1116	.2032	.2558	.2742	.3010	.3002	.3084	.3140	.3142	.3124	.3107	.3157	.3150
3e5	.0006	.0045	.0067	.0069	.0166	.0243	.0310	.0324	.0354	.0368	.0399	.0401	.0417	.0415	.0422	.0421
22mm5	.6582	.4262	.3606	.3550	.1838	.1098	.0779	.0576	.0484	.0412	.0379	.0350	.0338	.0329	.0328	.0322
23RSmm5	.0120	.0494	.0623	.0631	.0943	.1024	.1090	.1024	.1030	.1008	.0987	.0956	.0966	.0973	.0964	.1007
24mm5	.1418	.1576	.1499	.1484	.1111	.0837	.0717	.0576	.0516	.0487	.0464	.0460	.0435	.0432	.0422	.0421
33mm5	.0435	.0714	.0738	.0734	.0663	.0543	.0471	.0402	.0377	.0368	.0343	.0350	.0353	.0356	.0365	.0381
223mmmm4	.0948	.0797	.0702	.0698	.0401	.0250	.0172	.0137	.0114	.0096	.0088	.0081	.0078	.0079	.0078	
octanes																
8	.0010	.0093	.0146	.0152	.0440	.0730	.0964	.1119	.1288	.1370	.1488	.1507	.1527	.1528	.1574	.1524
2m7	.0236	.0761	.0937	.0947	.1381	.1538	.1595	.1603	.1555	.1448	.1488	.1439	.1404	.1414	.1364	.1378
3RSm7	.0111	.0546	.0728	.0736	.1381	.1736	.1866	.1989	.2130	.2142	.2116	.2075	.2136	.2082	.2099	.2061
4m7	.0048	.0225	.0297	.0303	.0558	.0709	.0815	.0839	.0883	.0926	.0899	.0953	.0963	.0960	.0952	.0953
3e6	.0012	.0077	.0112	.0114	.0273	.0407	.0493	.0586	.0605	.0662	.0699	.0725	.0718	.0732	.0740	.0753
22mm6	.5077	.2973	.2494	.2464	.1281	.0776	.0536	.0409	.0323	.0286	.0242	.0222	.0221	.0210	.0211	
23RSmm6	.0080	.0281	.0346	.0352	.0518	.0579	.0583	.0586	.0569	.0592	.0572	.0576	.0582	.0580	.0575	.0576
24RSmm6	.0989	.1449	.1478	.1490	.1399	.1233	.1140	.1041	.0940	.0926	.0899	.0870	.0849	.0855	.0862	
25mm6	.1678	.1876	.1810	.1791	.1330	.0988	.0750	.0630	.0534	.0473	.0423	.0400	.0367	.0351	.0336	.0326
33mm6	.0477	.0644	.0636	.0644	.0558	.0474	.0417	.0381	.0366	.0358	.0346	.0365	.0367	.0379	.0388	.0412
3RS4RSmm6	.0006	.0038	.0052	.0053	.0105	.0136	.0152	.0173	.0172	.0183	.0180	.0192	.0196	.0204	.0203	.0211
3R45mm6	.0006	.0036	.0050	.0051	.0101	.0133	.0152	.0161	.0172	.0183	.0180	.0192	.0196	.0204	.0203	.0211
3e2m5	.0007	.0033	.0045	.0045	.0091	.0123	.0152	.0161	.0172	.0173	.0180	.0192	.0196	.0204	.0203	.0211
3e3m5	.0002	.0009	.0011	.0011	.0018	.0021	.0022	.0023	.0024	.0026	.0027	.0028	.0030	.0031	.0034	.0036
223RSmmmm5	.0100	.0135	.0132	.0133	.0109	.0086	.0072	.0063	.0055	.0053	.0051	.0051	.0051	.0051	.0054	.0055
224mmmm5	.1094	.0720	.0615	.0602	.0333	.0210	.0152	.0121	.0098	.0084	.0080	.0074	.0075	.0075	.0074	.0077
233mmmm5	.0025	.0054	.0060	.0059	.0067	.0063	.0061	.0059	.0055	.0057	.0056	.0059	.0060	.0064	.0069	.0074
234mmmm5	.0012	.0031	.0037	.0037	.0049	.0053	.0056	.0055	.0057	.0059	.0059	.0060	.0064	.0067	.0070	
2233mmmm4	.0029	.0017	.0014	.0014	.0007	.0004	.0003	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	
nonanes																
9	.0001	.0029	.0056	.0059	.0238	.0437	.0599	.0729	.0818	.0904	.0952	.0994	.0989	.1003	.1015	.1003
2m8	.0026	.0241	.0359	.0367	.0748	.0921	.0991	.0972	.0988	.0956	.0952	.0949	.0909	.0893	.0879	.0877
3RSm8	.0012	.0167	.0274	.0280	.0729	.1028	.1172	.1296	.1353	.1338	.1424	.1369	.1383	.1367	.1353	.1356
4RSm8	.0010	.0144	.0231	.0237	.0604	.0849	.0991	.1044	.1120	.1196	.1164	.1193	.1219	.1217	.1215	.1186
3e7	.0001	.0025	.0044	.0046	.0151	.0249	.0306	.0382	.0410	.0437	.0447	.0457	.0465	.0462	.0477	.0464
4e7	.0001	.0021	.0037	.0038	.0124	.0203	.0259	.0308	.0339	.0370	.0385	.0398	.0410	.0412	.0413	.0419
22mm7	.0543	.0941	.0956	.0938	.0685	.0455	.0333	.0266	.0218	.0189	.0164	.0159	.0150	.0139	.0141	.0139
23RSmm7	.0009	.0096	.0144	.0148	.0310	.0376	.0394	.0410	.0410	.0391	.0385	.0398	.0393	.0396	.0385	.0392
24RSmm7	.0091	.0368	.0462	.0464	.0604	.0585	.0551	.0509	.0495	.0489	.0495	.0478	.0485	.0481	.0477	.0479
25RSmm7	.0184	.0891	.1131	.1147	.1494	.1391	.1275	.1122	.0988	.0904	.0861	.0828	.0769	.0765	.0734	.0717
26mm7	.0189	.0605	.0705	.0705	.0729	.0597	.0507	.0410	.0361	.0331	.0299	.0276	.0269	.0259	.0250	.0237
33mm7	.0056	.0220	.0269	.0271	.0330	.0307	.0282	.0266	.0248	.0236	.0233	.0230	.0238	.0239	.0250	.0253
3RS4SRmm7	.0001	.0020	.0033	.0034	.0093	.0135	.0157	.0173	.0193	.0200	.0210	.0210	.0218	.0222	.0232	.0237
3RS4RSm7	.0001	.0021	.0035	.0036	.0096	.0139	.0157	.0186	.0193	.0200	.0210	.0210	.0218	.0222	.0224	.0237
3RS5Rsm7	.0015	.0098	.0133	.0134	.0218	.0239	.0238	.0231	.0232	.0223	.0221	.0220	.0218	.0222	.0216	.0222
3RS5mm7	.0013	.0081	.0110	.0111	.0185	.0208	.0201	.0215	.0205	.0211	.0200	.0200	.0201	.0205	.0201	.0200
44mm7	.0020	.0069	.0083	.0084	.0099	.0092	.0087	.0084	.0085	.0082	.0085	.0085	.0088	.0091	.0095	.0102
3RS2m6	.0003	.0035	.0058	.0059	.0161	.0241	.0289	.0324	.0361	.0378	.0381	.0402	.0420	.0426	.0433	.0444
4e2m6	.0012	.0075	.0091	.0093	.0155	.0177	.0185	.0186	.0181	.0181	.0181	.0183	.0185	.0190	.0187	
3e3m6	.0001	.0006	.0009	.0019	.0024	.0027	.0031	.0033	.0035	.0036	.0040	.0043	.0045	.0048	.0052	
3e4RSm6	.0000	.0005	.0009	.0010	.0034	.0060	.0080	.0097	.0109	.0121	.0134	.0139	.0144	.0150	.0157	.0164
223RSmm6	.0010	.0038	.0045	.0051	.0045	.0038	.0033	.0031	.0028	.0028	.0028	.0028	.0027	.0029	.0030	
224RSmm6	.0055	.0155	.0174	.0175	.0169	.0133	.0103	.0091	.0080	.0073	.0066	.0064	.0065	.0064	.0066	.0068
225mm6	.8649	.5318	.4149	.4105	.1494	.0654	.0362	.0231	.0159	.0121	.0099	.0088	.0080	.0072	.0068	
233mm6	.0002	.0012	.0015	.0015	.0023	.0024	.0025	.0024	.0025	.0027						

Table 9 continued

T/K	200	273	298	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
decades																
10	.0000	.0010	.0023	.0025	.0133	.0266	.0393	.0487	.0532	.0606	.0627	.0643	.0652	.0675	.0674	.0654
2m9	.0002	.0083	.0150	.0154	.0423	.0560	.0598	.0649	.0643	.0641	.0627	.0614	.0625	.0601	.0584	.0572
3RSm9	.0001	.0058	.0113	.0118	.0407	.0618	.0770	.0805	.0880	.0896	.0892	.0927	.0912	.0920	.0899	.0885
4RSm9	.0001	.0050	.0097	.0101	.0341	.0522	.0651	.0697	.0729	.0758	.0806	.0808	.0804	.0819	.0807	.0800
Sm9	.0000	.0025	.0049	.0051	.0175	.0263	.0333	.0340	.0365	.0387	.0399	.0407	.0394	.0393	.0393	.0396
3e8	.0000	.0009	.0019	.0020	.0086	.0151	.0201	.0237	.0266	.0293	.0295	.0309	.0307	.0311	.0317	.0313
4PSe8	.0000	.0015	.0032	.0033	.0143	.0255	.0333	.0392	.0469	.0484	.0513	.0536	.0551	.0556	.0563	.0572
22mm8	.0050	.0326	.0400	.0408	.0387	.0280	.0219	.0166	.0142	.0120	.0113	.0103	.0099	.0094	.0093	.0090
23RSmm8	.0001	.0033	.0059	.0062	.0171	.0229	.0259	.0255	.0266	.0262	.0266	.0258	.0259	.0257	.0256	.0256
24RSmm8	.0008	.0132	.0197	.0202	.0350	.0367	.0362	.0340	.0343	.0328	.0326	.0324	.0320	.0311	.0306	.0313
25RSmm8	.0014	.0262	.0400	.0415	.0708	.0713	.0550	.0604	.0567	.0512	.0487	.0487	.0466	.0441	.0438	.0423
26RSmm8	.0016	.0292	.0450	.0466	.0803	.0813	.0770	.0697	.0643	.0606	.0567	.0561	.0529	.0515	.0506	.0500
27mm8	.0017	.0206	.0290	.0296	.0407	.0363	.0306	.0274	.0235	.0221	.0197	.0187	.0178	.0174	.0166	.0160
33mm8	.0005	.0075	.0111	.0114	.0184	.0185	.0170	.0166	.0161	.0158	.0161	.0156	.0163	.0161	.0166	.0171
3R5RSmm8	.0000	.0007	.0015	.0016	.0057	.0091	.0112	.0124	.0133	.0142	.0146	.0149	.0150	.0155	.0154	.0160
3R5RSmm8	.0000	.0008	.0016	.0017	.0059	.0092	.0112	.0124	.0133	.0142	.0146	.0149	.0150	.0155	.0154	.0160
3R5RSmm8	.0002	.0055	.0089	.0092	.0196	.0231	.0238	.0255	.0250	.0248	.0253	.0246	.0249	.0247	.0256	.0256
3R5S5Rmm8	.0002	.0045	.0074	.0076	.0167	.0203	.0219	.0221	.0221	.0221	.0229	.0225	.0229	.0228	.0238	.0239
3R56Rmm8	.0002	.0054	.0090	.0093	.0206	.0238	.0238	.0237	.0221	.0209	.0207	.0196	.0193	.0188	.0185	.0183
3R6Smm8	.0002	.0054	.0090	.0093	.0206	.0238	.0238	.0237	.0221	.0209	.0207	.0196	.0193	.0188	.0185	.0183
44mm8	.0004	.0052	.0075	.0077	.0122	.0123	.0122	.0116	.0110	.0113	.0113	.0118	.0122	.0123	.0129	.0135
4R5RSmm8	.0000	.0003	.0006	.0006	.0023	.0036	.0044	.0049	.0055	.0058	.0059	.0062	.0065	.0066	.0068	.0067
4R5Smm8	.0000	.0003	.0006	.0006	.0023	.0035	.0044	.0049	.0055	.0058	.0059	.0062	.0065	.0066	.0068	.0067
4p7	.0000	.0002	.0004	.0005	.0019	.0034	.0048	.0056	.0063	.0072	.0076	.0078	.0084	.0083	.0087	.0087
41p7	.0000	.0003	.0005	.0005	.0019	.0031	.0038	.0045	.0049	.0052	.0053	.0054	.0057	.0057	.0059	.0060
3RSe2m7	.0000	.0006	.0012	.0013	.0047	.0076	.0095	.0108	.0118	.0127	.0125	.0130	.0132	.0138	.0139	.0140
4RSe2m7	.0002	.0038	.0062	.0063	.0140	.0172	.0185	.0191	.0194	.0209	.0207	.0205	.0210	.0211	.0214	.0216
5e2m7	.0002	.0045	.0075	.0077	.0173	.0205	.0219	.0205	.0194	.0187	.0187	.0179	.0178	.0174	.0166	.0165
3e3m7	.0000	.0002	.0004	.0004	.0012	.0016	.0019	.0021	.0023	.0024	.0025	.0027	.0028	.0029	.0031	.0033
4RSe3RSm7	.0000	.0002	.0003	.0003	.0016	.0030	.0041	.0052	.0059	.0065	.0072	.0075	.0080	.0083	.0084	.0087
4RSe3RSm7	.0000	.0002	.0003	.0003	.0016	.0030	.0041	.0052	.0059	.0065	.0072	.0075	.0080	.0083	.0084	.0087
3e5RSm7	.0001	.0018	.0033	.0034	.0095	.0131	.0156	.0166	.0171	.0177	.0178	.0187	.0185	.0188	.0192	.0196
3e4RSm7	.0000	.0002	.0003	.0003	.0016	.0031	.0044	.0052	.0063	.0068	.0076	.0078	.0084	.0087	.0090	.0093
4e4m7	.0000	.0001	.0002	.0002	.0007	.0010	.0012	.0013	.0015	.0016	.0018	.0019	.0021	.0022	.0024	.0026
223RSmm7	.0001	.0013	.0019	.0020	.0029	.0027	.0025	.0022	.0020	.0019	.0019	.0018	.0018	.0019	.0019	.0019
224RSmm7	.0004	.0045	.0060	.0061	.0078	.0067	.0067	.0049	.0046	.0041	.0039	.0039	.0040	.0041	.0042	.0042
225RSmm7	.0353	.1276	.1325	.1319	.0813	.0440	.0281	.0191	.0142	.0113	.0097	.0086	.0077	.0072	.0070	.0067
226mm7	.0715	.1621	.1542	.1534	.0745	.0360	.0219	.0143	.0104	.0086	.0072	.0062	.0057	.0055	.0051	.0051
233mm7	.0000	.0004	.0007	.0007	.0014	.0016	.0016	.0017	.0017	.0018	.0018	.0018	.0019	.0020	.0021	.0023
23RS45Rmm7	.0000	.0001	.0003	.0003	.0008	.0013	.0016	.0018	.0020	.0022	.0024	.0025	.0026	.0028	.0030	.0031
23RS45Smm7	.0000	.0001	.0003	.0003	.0009	.0013	.0016	.0018	.0020	.0022	.0023	.0025	.0026	.0027	.0029	.0030
23RS55Rmm7	.0002	.0034	.0053	.0054	.0093	.0093	.0095	.0087	.0081	.0077	.0076	.0075	.0074	.0074	.0074	.0074
23RS6mm7	.0012	.0165	.0237	.0238	.0333	.0291	.0238	.0205	.0183	.0167	.0153	.0142	.0138	.0133	.0129	.0126
24R5S5Rmm7	.0001	.0019	.0030	.0031	.0057	.0062	.0062	.0061	.0059	.0058	.0059	.0057	.0057	.0059	.0061	.0060
24R55RSmm7	.0001	.0021	.0032	.0033	.0060	.0064	.0064	.0061	.0059	.0061	.0059	.0060	.0061	.0061	.0062	.0062
246mm7	.0040	.0191	.0221	.0223	.0191	.0141	.0112	.0093	.0086	.0077	.0076	.0072	.0071	.0072	.0070	.0071
255mm7	.0089	.0481	.0551	.0561	.0456	.0303	.0219	.0166	.0133	.0120	.0102	.0099	.0095	.0090	.0090	.0090
334RSmm7	.0000	.0001	.0002	.0003	.0007	.0010	.0013	.0013	.0015	.0016	.0018	.0019	.0020	.0021	.0024	.0026
335RSmm7	.0000	.0013	.0020	.0021	.0046	.0054	.0057	.0056	.0059	.0058	.0062	.0062	.0068	.0069	.0075	.0079
3R544mm7	.0000	.0001	.0002	.0002	.0005	.0008	.0009	.0011	.0012	.0014	.0014	.0016	.0018	.0019	.0021	.0024
3R545Smm7	.0000	.0000	.0000	.0000	.0002	.0003	.0004	.0005	.0006	.0007	.0007	.0008	.0009	.0010	.0010	.0010
3R45Smm7	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
3R45Smm7	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
31p6	.0000	.0000	.0000	.0000	.0001	.0002	.0003	.0004	.0005	.0006	.0006	.0007	.0008	.0009	.0009	.0010
33ee6	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001
34ee6	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0005	.0008	.0009	.0011	.0012	.0013	.0014	.0015	.0016
3RSe22mm6	.0000	.0000	.0000	.0000	.0002	.0003	.0004	.0005	.0005	.0005	.0006	.0006	.0006	.0007	.0007	.0008
4e22mm6	.0000	.0007	.0010	.0011	.0017	.0017	.0016	.0014	.0014	.0014	.0013	.0012	.0013	.0013	.0013	.0013
3RSe23mm6	.0000	.0000	.0000	.0000	.0001	.0002	.0002	.0003	.0003	.0004	.0004	.0005	.0005	.0006	.0006	.0006
4e23RSm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
4e23RSm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
4e23RSm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
4e23RSm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
2233mm6	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
2234RS45mm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
2235RS45mm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
2235mm6	.0008	.0039	.0043	.0043	.0032	.0021	.0015	.0012	.0009	.0008	.0007	.0007	.0007	.0007	.0007	.0007
2244mm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
2244R5mm6	.0003	.0029	.0037	.0038	.0028	.0021	.0017	.0014	.0019	.0018	.0017	.0012	.0011	.0011	.0011	.0011
2255mm6	.8633	.3998	.2646	.2538	.0439	.0111	.0041	.0019	.0011	.0008	.0006	.0004	.0004	.0003	.0003	.0004
2334RSmm6	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
2335mm6	.0000	.0001	.0002	.0004	.0004	.0004	.0005	.0004	.0004	.0005	.0005	.0005	.0006	.0006	.0007	.0008
233544mm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
233544mm6	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001
233544mm6	.0000	.0000	.													

6. Estimation of Thermodynamic Properties of Alkane Isomer Groups Using the Benson Group Method

Group additivity methods have been quite useful for estimating chemical thermodynamic properties, and Benson and co-workers have calculated group values involving many elements and have extended the method to include non-next-nearest neighbor corrections.^{23,24} It is therefore of interest to calculate the thermodynamic properties of alkane isomer groups using the Benson method for comparison with the values calculated from the Scott tables. Since Benson gives values for the contributions to the heat capacity from 300 to 1500 K, his method has been used to calculate standard thermodynamic properties for the temperature range used by Scott even though the values may not be as reliable at 200 K.

In order to make these calculations, the structure of each alkane species must be examined to divide it into C-(H)₃(C), C-(H)₂(C)₂, C-(H)(C)₃, and C-(C)₄ groups and to determine the total symmetry number, number of optical isomers, number of alkane *gauche* corrections, and 1,5H repulsions. The group assignments were checked by matrix multiplication to be sure they accounted for the correct numbers of carbon and hydrogen atoms. The symmetry numbers get to be as high as 19 683 (for 2,2,3,4,4-pentamethylpentane). In calculating symmetry numbers, we have been assisted by a report by Davies, Syverud, and Steiner.²⁵

The numbers of *gauche* corrections to be applied to the various alkane isomers were obtained as follows: The usual zig-zag formulas were written for the backbone structure and the branches were added. Each bond not connected to a carbon in a methyl group was examined to see the nature of the bonding of the carbon atoms at each end of the bond. If the carbons at each end are each bonded to just one more carbon atom, the number of *gauche* corrections for that bond is zero. Thus there are no *gauche* corrections for *n*-alkanes. If the carbon atom at one end of the bond is bonded to two other carbon atoms and the carbon atom at the other end of the bond was bonded to one other, the number of *gauche* corrections is one. An example is 2-methylbutane. If the carbon atoms at both ends of the bond are bonded to two additional carbon atoms, the number of *gauche* corrections is 2. An example is 2,3-dimethylbutane. If the carbon atom at one end of the bond is bonded to three other carbon atoms and the carbon atom at the other end of the bond is bonded to one other, the number of *gauche* corrections is 2. An example is 2,2-dimethylbutane. If the carbon atom at one end of the bond is bonded to three other carbon atoms and the one at the other end of the bond is bonded to two, the *gauche* correction is 4. An example is 2,2,3-trimethylbutane. If the carbons at both ends of the bond are bonded to three other carbons, the *gauche* correction is 6. An example is 2,2,3,3-tetramethylbutane. The *gauche* correction for a molecule is the sum of these numbers for the molecule. All the assignments of groups and corrections were made by two people independently.

The matrix of numbers of contributions is then matrix multiplied by a matrix of the Benson values to obtain for

each isomer the sum of the contributions to $\Delta_f H^\circ_{298}$, $S^\circ_{int\ 298}$, $C_p^\circ_{300}$, $C_p^\circ_{400}$, $C_p^\circ_{500}$, $C_p^\circ_{600}$, $C_p^\circ_{800}$, $C_p^\circ_{1000}$, and $C_p^\circ_{1500}$. This matrix is the input to the following four programs:

1. CAPACITY. This program fits the heat capacities by least squares for each isomer to the equation

$$C_p^\circ = \alpha + \beta T + \gamma T^2, \quad (12)$$

and then uses these parameters to calculate C_p° for each isomer at the desired temperatures.

2. ENTROPY. This program uses the α , β , and γ parameters calculated in CAPACITY to calculate the standard entropy at the desired temperature using

$$S^\circ = S_0^\circ + \alpha \ln T + \beta T + (\gamma/2)T^2 - R \ln(TSN/OPT), \quad (13)$$

where TSN is the total symmetry number and OPT is the number of optical isomers (1 or 2). The quantity S_0° is simply a parameter in this equation and is not to be interpreted literally.

3. ENTHALPY. This program uses the parameters calculated in CAPACITY in the equation

$$\Delta_f H^\circ = \Delta_f H_0^\circ + \alpha T + (\beta/2)T^2 + (\gamma/3)T^3 - n(H^\circ - H_{298}^\circ)_{graph} - (n+1)(H^\circ - H_{298}^\circ)_{H_2}, \quad (14)$$

to calculate $\Delta_f H^\circ$ for each isomer at the desired temperatures. The quantity $\Delta_f H_0^\circ$ is simply a parameter in this equation and is not to be interpreted literally.

4. GIBBS. This program uses the results of the preceding two programs plus values of S° for graphite and hydrogen at the various temperatures to calculate $\Delta_f G^\circ$ for the various isomers at these temperatures using Eq. (9).

The outputs of these four programs are combined in the computer to obtain tables for C_p° , S° , $\Delta_f H^\circ$, and $\Delta_f G^\circ$ for each isomer with rows for 200, 273.15, 298.15, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, and 1500 K.

The standard thermodynamic properties of the alkane isomer groups calculated using the Benson parameters are given in Tables 10 to 13 along with increments per carbon atom. These values are in quite good agreement with the values calculated from Scott's tables. The values for CH₄ are from the Scott table since the properties of CH₄ cannot be calculated from Benson groups.

In addition the mole fractions r_i of the individual species within isomer groups were calculated using the Benson parameters, and the results are given in Table 14. This method also indicates that 2255mmmm6 is quite stable at low temperatures.

The isomer group values calculated using the Benson method have been rounded in the same way as the values calculated from Scott's tables. Benson²⁴ states that the values of C_p° and S° estimated using his group values are on the average within $\pm 1.2 \text{ J K}^{-1} \text{ mol}^{-1}$ of the measured values, and $\Delta_f H^\circ$ and $\Delta_f G^\circ$ are within $\pm 2 \text{ kJ mol}^{-1}$. However, he points out larger errors may be encountered for heavily substituted species.

Table 10. Standard heat capacity at constant pressure for alkane isomer groups in J/K mol calculated using Benson group values

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	33.51	38.26	55.94	77.63	99.38	131.67	164.57	197.38	292.18	337.50
273.15	34.85	48.77	70.80	103.07	160.44	163.91	191.31	208.78	287.84	295.89
298.15	35.69	52.24	75.71	110.75	181.15	172.10	198.31	217.38	279.20	290.05
300.00	35.77	52.49	76.07	111.30	182.48	172.67	198.82	218.04	278.84	289.98
400.00	40.63	65.74	94.77	136.30	207.22	199.59	227.63	254.80	292.84	317.48
500.00	46.53	78.02	112.04	156.17	206.81	225.41	258.63	292.03	329.34	361.77
600.00	52.3	89.3	127.9	174.0	218.5	251.2	289.4	327.9	368.1	406.1
700.00	58.2	99.6	142.3	190.6	235.4	275.8	318.4	361.2	404.9	447.5
800.00	63.6	109.0	155.3	205.9	253.0	298.5	344.9	391.5	438.7	485.1
900.00	68.2	117.3	166.9	219.7	269.6	318.8	368.6	418.5	468.7	518.5
1000.00	72.8	124.7	177.0	231.9	284.4	336.7	389.3	442.0	494.9	547.6
1100.00	77.0	131.1	185.7	242.5	297.2	352.0	406.9	461.9	517.1	572.2
1200.00	80.3	136.5	193.0	251.2	307.8	364.5	421.4	478.2	535.3	592.2
1300.00	83.7	140.9	198.8	258.2	316.2	374.4	432.6	490.9	549.3	607.6
1400.00	87.9	144.4	203.3	263.4	322.3	381.4	440.6	499.9	559.2	618.4
1500.00	87.9	146.8	206.3	266.7	326.1	385.8	445.4	505.1	564.9	624.6

Table 10a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	4.74	17.68	21.69	21.75	32.28	32.91	32.80	94.80	45.32
273.15	13.91	22.04	32.27	57.37	3.48	27.39	17.47	79.06	8.05
298.15	16.55	23.47	35.05	70.40	-9.05	26.21	19.07	61.82	10.85
300.00	16.72	23.58	35.23	71.19	-9.81	26.15	19.22	60.80	11.14
400.00	25.12	29.02	41.54	70.92	-7.64	28.05	27.17	38.04	24.64
500.00	31.49	34.03	44.13	50.64	18.60	33.22	33.41	37.30	32.44
600.00	37.0	38.6	46.1	44.4	32.7	38.2	38.5	40.2	38.0
700.00	41.5	42.7	48.3	44.8	40.4	42.6	42.8	43.7	42.6
800.00	45.4	46.3	50.6	47.1	45.4	46.5	46.6	47.1	46.5
900.00	49.1	49.6	52.9	49.8	49.3	49.8	49.9	50.2	49.8
1000.00	51.9	52.3	55.0	52.4	52.3	52.6	52.7	52.9	52.6
1100.00	54.1	54.6	56.8	54.7	54.8	55.0	55.0	55.2	55.0
1200.00	56.1	56.5	58.3	56.5	56.7	56.8	56.9	57.0	56.9
1300.00	57.2	57.9	59.4	58.0	58.2	58.3	58.3	58.4	58.3
1400.00	56.5	58.9	60.1	58.9	59.1	59.2	59.2	59.3	59.3
1500.00	59.0	59.4	60.5	59.4	59.6	59.7	59.7	59.8	59.7

Table 11. Standard entropy for alkane isomer groups in J/K mol calculated using Benson group values

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	172.70	212.64	243.90	262.07	262.94	319.23	350.32	386.29	383.30	422.28
273.15	183.29	226.13	263.55	290.11	302.34	365.38	405.98	448.45	477.72	523.44
298.15	186.38	230.55	269.96	299.47	317.32	380.10	423.04	467.10	502.50	549.02
300.00	186.59	230.87	270.43	300.16	318.44	381.16	424.26	468.45	504.23	550.82
400.00	197.51	247.81	294.91	335.79	376.21	434.63	485.34	536.17	585.21	637.02
500.00	207.18	263.82	317.94	368.39	422.19	481.93	539.44	597.03	654.35	712.56
600.00	216.0	279.1	339.8	398.5	460.8	525.3	589.3	653.5	717.8	782.5
700.00	224.8	293.6	360.6	426.6	495.7	565.9	636.2	706.6	777.4	848.2
800.00	232.7	307.5	380.5	453.0	528.3	604.2	680.4	756.8	833.7	910.5
900.00	240.7	320.9	399.4	478.1	559.1	640.6	722.5	804.5	887.1	969.6
1000.00	248.2	333.6	417.6	501.9	588.3	675.1	762.4	849.9	937.9	1025.8
1100.00	255.3	345.8	434.9	524.5	616.0	708.0	800.3	892.9	986.1	1079.1
1200.00	262.0	357.4	451.3	546.0	642.3	739.1	836.4	933.9	1032.0	1129.8
1300.00	268.3	368.5	467.0	566.4	667.3	768.7	870.6	972.7	1075.4	1177.9
1400.00	275.0	379.1	481.9	585.7	691.0	796.7	903.0	1009.4	1116.5	1223.3
1500.00	280.9	389.2	496.1	604.0	713.3	823.2	933.5	1044.1	1155.3	1266.2

Table 11a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	39.94	31.26	18.17	.87	56.29	31.09	35.97	-2.99	38.98
273.15	42.84	37.42	26.56	12.23	63.04	40.60	42.47	29.27	45.71
298.15	44.17	39.41	29.51	17.84	62.78	42.94	44.07	35.40	46.52
300.00	44.28	39.56	29.73	18.28	62.72	43.10	44.18	35.78	46.59
400.00	50.30	47.10	40.88	40.42	58.42	50.71	50.83	49.04	51.81
500.00	56.64	54.12	50.45	53.80	59.74	57.51	57.59	57.31	58.21
600.00	63.1	60.7	58.7	62.3	64.5	64.0	64.1	64.4	64.6
700.00	68.8	67.0	66.0	69.2	70.2	70.2	70.4	70.8	70.9
800.00	74.8	72.9	72.6	75.3	75.9	76.2	76.4	76.9	76.8
900.00	80.2	78.6	78.6	81.0	81.5	81.9	82.1	82.6	82.5
1000.00	85.4	84.0	84.3	86.4	86.9	87.3	87.5	88.0	87.9
1100.00	90.5	89.1	89.6	91.5	92.0	92.4	92.6	93.2	93.0
1200.00	95.4	93.9	94.7	96.3	96.8	97.3	97.5	98.1	97.9
1300.00	100.2	98.5	99.4	100.9	101.4	101.9	102.1	102.7	102.5
1400.00	104.1	102.8	103.8	105.2	105.8	106.2	106.4	107.1	106.8
1500.00	108.3	106.9	108.0	109.3	109.9	110.3	110.5	111.2	110.9

Table 12. Standard enthalpy of formation for alkane isomer groups in kJ/mol calculated using Benson group values

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	-71.88	-80.15	-99.36	-127.66	-159.15	-169.92	-190.26	-209.31	-239.33	-257.21
273.15	-73.97	-84.02	-104.28	-125.11	-154.71	-164.81	-183.78	-216.77	-225.53	-260.65
298.15	-74.73	-85.35	-105.98	-134.89	-165.47	-178.24	-199.13	-219.66	-243.85	-263.44
300.00	-74.77	-85.45	-106.11	-135.02	-165.55	-178.40	-199.31	-219.88	-244.03	-263.67
400.00	-77.82	-90.29	-112.23	-141.18	-167.94	-186.20	-208.39	-230.56	-254.07	-275.78
500.00	-80.67	-94.52	-117.56	-146.46	-171.51	-193.39	-216.77	-240.14	-264.20	-287.28
600.00	-83.3	-98.1	-122.0	-150.9	-175.8	-199.5	-223.8	-248.1	-272.8	-296.9
700.00	-85.4	-101.0	-125.5	-154.4	-179.6	-204.4	-229.3	-254.3	-279.5	-304.2
800.00	-87.0	-103.3	-128.2	-157.0	-182.5	-207.8	-233.2	-258.5	-284.1	-309.2
900.00	-88.3	-104.9	-130.1	-158.8	-184.4	-210.0	-235.6	-261.1	-286.8	-312.1
1000.00	-89.5	-106.1	-131.3	-159.7	-185.3	-211.0	-236.5	-262.0	-287.7	-313.0
1100.00	-90.4	-106.8	-131.9	-159.9	-185.4	-210.9	-236.3	-261.7	-287.2	-312.3
1200.00	-90.8	-107.1	-132.0	-159.6	-184.9	-210.1	-235.3	-260.4	-285.6	-310.5
1300.00	-91.2	-107.2	-131.8	-158.9	-183.9	-208.8	-233.7	-258.4	-283.2	-307.8
1400.00	-91.2	-107.1	-131.3	-158.0	-182.6	-207.2	-231.6	-256.0	-280.4	-304.6
1500.00	-91.2	-106.9	-130.8	-157.0	-181.3	-205.5	-229.6	-253.6	-277.7	-301.5

Table 12a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	-8.27	-19.21	-28.30	-31.49	-10.78	-20.34	-19.05	-30.02	-17.88
273.15	-10.05	-20.26	-20.83	-29.60	-10.10	-18.97	-32.99	-8.75	-35.12
298.15	-10.63	-20.63	-28.91	-30.59	-12.76	-20.89	-20.54	-24.19	-19.58
300.00	-10.69	-20.65	-28.91	-30.53	-12.85	-20.91	-20.57	-24.15	-19.63
400.00	-12.46	-21.95	-28.95	-26.76	-18.26	-22.19	-22.17	-23.52	-21.71
500.00	-13.85	-23.04	-28.90	-25.05	-21.88	-23.38	-23.38	-24.06	-23.08
600.00	-14.8	-23.9	-28.9	-24.9	-23.7	-24.3	-24.3	-24.7	-24.1
700.00	-15.6	-24.6	-28.9	-25.2	-24.8	-25.0	-24.9	-25.2	-24.7
800.00	-16.2	-25.0	-28.8	-25.5	-25.3	-25.4	-25.3	-25.5	-25.1
900.00	-16.7	-25.2	-28.7	-25.6	-25.6	-25.6	-25.5	-25.7	-25.3
1000.00	-16.5	-25.2	-28.4	-25.6	-25.6	-25.6	-25.6	-25.7	-25.3
1100.00	-16.4	-25.1	-28.0	-25.5	-25.5	-25.4	-25.3	-25.5	-25.2
1200.00	-16.3	-24.9	-27.6	-25.3	-25.3	-25.2	-25.1	-25.2	-24.9
1300.00	-16.0	-24.6	-27.1	-25.0	-24.9	-24.8	-24.7	-24.8	-24.6
1400.00	-15.9	-24.2	-26.7	-24.6	-24.6	-24.5	-24.4	-24.4	-24.2
1500.00	-15.7	-23.9	-26.2	-24.3	-24.2	-24.1	-24.0	-24.1	-23.8

Table 13. Standard Gibbs energy of formation for alkane isomer groups in kJ/mol calculated using Benson group values

T/K	methane	ethane	propane	butanes	pentanes	hexanes	heptanes	octanes	nonanes	decanes
200.00	-58.05	-49.80	-50.76	-58.19	-65.36	-62.89	-64.95	-66.70	-71.62	-72.79
273.15	-52.69	-39.05	-32.16	-22.87	-20.45	-11.29	-5.08	-13.91	6.31	-4.93
298.15	-50.68	-33.78	-25.49	-22.52	-17.75	-8.56	-1.58	5.42	11.35	18.57
300.00	-50.51	-33.46	-24.99	-21.83	-16.84	-7.52	.36	6.81	12.92	20.31
400.00	-41.96	-15.38	3.01	16.88	33.12	50.66	67.36	84.04	100.08	116.81
500.00	-32.66	3.84	32.44	57.01	83.76	110.71	137.27	163.80	189.78	216.30
600.00	-22.9	23.9	62.9	98.1	135.2	172.1	208.8	245.4	281.4	318.0
700.00	-12.5	44.4	94.0	139.9	187.4	234.5	281.3	328.1	374.3	421.0
800.00	-2.0	65.4	125.5	182.2	240.0	297.4	354.6	411.7	468.1	525.0
900.00	8.5	86.5	157.4	224.7	292.9	360.7	428.2	495.6	562.3	629.4
1000.00	19.4	107.9	189.4	267.3	346.0	424.1	502.0	579.7	656.6	734.1
1100.00	30.2	129.3	221.5	310.1	399.1	487.7	575.8	663.9	751.1	838.8
1200.00	41.1	150.8	253.6	352.8	452.3	551.2	649.7	748.0	845.5	943.5
1300.00	52.4	172.3	285.7	395.5	505.3	614.6	723.3	831.9	939.6	1047.8
1400.00	63.3	193.8	317.8	438.1	558.3	677.8	796.9	915.7	1033.5	1152.0
1500.00	74.2	215.3	349.9	480.6	611.2	741.0	870.3	999.3	1127.3	1255.9

Table 13a. Increments per carbon atom

T/K	C2-C1	C3-C2	C4-C3	C5-C4	C6-C5	C7-C6	C8-C7	C9-C8	C10-C9
200.00	8.26	.96	-7.43	-7.16	2.46	-2.06	-1.75	-4.92	-1.17
273.15	14.64	5.89	8.29	3.43	9.05	6.31	-8.23	19.62	-11.24
298.15	16.90	8.30	2.97	4.77	9.19	6.98	7.00	5.93	7.22
300.00	17.05	8.47	3.16	4.98	9.33	7.15	7.17	6.11	7.39
400.00	26.58	18.39	13.87	16.24	17.54	16.70	16.67	16.04	16.74
500.00	36.51	28.60	24.57	26.75	26.95	26.56	26.53	25.98	26.51
600.00	46.8	39.0	35.3	37.1	36.9	36.6	36.6	36.1	36.5
700.00	56.9	49.6	46.0	47.4	47.1	46.9	46.8	46.2	46.7
800.00	67.4	60.2	56.6	57.8	57.4	57.2	57.1	56.5	56.9
900.00	78.1	70.8	67.3	68.2	67.8	67.5	67.4	66.7	67.2
1000.00	88.5	81.5	78.0	78.7	78.2	77.8	77.7	77.0	77.5
1100.00	99.1	92.2	88.6	89.1	88.5	88.2	88.0	87.2	87.7
1200.00	109.7	102.8	99.2	99.5	98.9	98.5	98.3	97.5	98.0
1300.00	119.9	113.4	109.7	109.9	109.2	108.8	108.6	107.7	108.2
1400.00	130.5	124.1	120.2	119.5	119.0	118.8	117.8	118.4	128.6
1500.00	141.1	134.6	130.7	130.6	129.8	129.3	129.0	128.0	128.6

Table 14. Equilibrium mole fractions within alkane isomer groups calculated using Benson group values

T/K	200	273	298	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
butanes																
4	.0204	.0854	.1166	.1190	.2574	.3795	.4717	.5390	.5884	.6253	.6536	.6758	.6934	.7078	.7196	.7295
2m3	.9796	.9146	.8834	.8810	.7426	.6205	.5283	.4610	.4116	.3747	.3464	.3242	.3066	.2922	.2804	.2705
pentanes																
5	.0005	.0140	.0281	.0294	.1351	.2430	.3200	.3739	.4129	.4422	.4648	.4827	.4971	.5090	.5188	.5271
2m4	.0094	.1026	.1654	.1705	.4275	.5329	.5497	.5398	.5240	.5082	.4940	.4819	.4715	.4626	.4550	.4485
22mm3	.9901	.8834	.8065	.8001	.4374	.2241	.1303	.0863	.0631	.0497	.0411	.0354	.0314	.0284	.0262	.0244
hexanes																
6	.0039	.0271	.0403	.0414	.1047	.1636	.2101	.2457	.2731	.2943	.3111	.3246	.3355	.3445	.3520	.3584
2m5	.0742	.1996	.2374	.2400	.3312	.3588	.3609	.3548	.3465	.3382	.3307	.3240	.3182	.3131	.3087	.3049
3m5	.0099	.0457	.0615	.0627	.1211	.1604	.1845	.1996	.2095	.2162	.2211	.2247	.2275	.2297	.2316	.2331
22mm4	.5555	.3605	.3110	.3077	.1811	.1206	.0894	.0718	.0611	.0540	.0492	.0458	.0433	.0414	.0400	.0388
23mm4	.3566	.3670	.3497	.3482	.2619	.1967	.1550	.1281	.1099	.0972	.0879	.0809	.0754	.0711	.0677	.0648
heptanes																
7	.0020	.0158	.0237	.0244	.0631	.1003	.1307	.1547	.1734	.1882	.2000	.2094	.2171	.2234	.2287	.2331
2m6	.0385	.1162	.1398	.1414	.1996	.2199	.2246	.2233	.2201	.2163	.2125	.2091	.2059	.2031	.2006	.1983
3RS6	.0103	.0532	.0725	.0739	.1459	.1966	.2296	.2513	.2661	.2766	.2842	.2900	.2944	.2980	.3009	.3033
3e5	.0002	.0020	.0031	.0032	.0089	.0146	.0196	.0236	.0268	.0295	.0317	.0335	.0351	.0364	.0376	.0386
22mm5	.2879	.2099	.1832	.1813	.1091	.0739	.0556	.0452	.0388	.0346	.0317	.0296	.0280	.0269	.0260	.0252
23RSmm5	.0988	.1958	.2135	.2145	.2307	.2156	.1972	.1814	.1688	.1589	.1510	.1447	.1396	.1354	.1319	.1290
24mm5	.1848	.2137	.2059	.2052	.1578	.1206	.0964	.0806	.0698	.0621	.0565	.0522	.0488	.0461	.0440	.0422
33mm5	.0077	.0165	.0185	.0186	.0219	.0222	.0218	.0215	.0213	.0212	.0212	.0213	.0215	.0217	.0219	.0221
223mmmm4	.3698	.1768	.1398	.1375	.0631	.0362	.0244	.0184	.0149	.0127	.0112	.0102	.0095	.0090	.0085	.0082
octanes																
8	.0012	.0094	.0141	.0144	.0377	.0609	.0806	.0964	.1089	.1188	.1267	.1331	.1383	.1425	.1460	.1489
2m7	.0240	.0693	.0829	.0839	.1192	.1337	.1384	.1391	.1382	.1365	.1347	.1329	.1312	.1295	.1281	.1267
3RS7	.0064	.0317	.0430	.0438	.0872	.1195	.1415	.1566	.1671	.1746	.1801	.1843	.1875	.1901	.1921	.1938
4m7	.0032	.0159	.0215	.0219	.0436	.0597	.0708	.0783	.0835	.0873	.0901	.0922	.0938	.0950	.0961	.0969
3e6	.0004	.0036	.0056	.0057	.0159	.0267	.0362	.0440	.0505	.0558	.0602	.0639	.0670	.0697	.0721	.0741
22mm6	.1799	.1252	.1086	.1075	.0652	.0449	.0343	.0282	.0243	.0218	.0201	.0188	.0179	.0171	.0166	.0161
23RSmm6	.0617	.1168	.1266	.1272	.1378	.1310	.1216	.1130	.1060	.1003	.0957	.0920	.0889	.0864	.0842	.0824
24RSmm6	.0617	.1168	.1266	.1272	.1378	.1310	.1216	.1130	.1060	.1003	.0957	.0920	.0889	.0864	.0842	.0824
25mm6	.1155	.1274	.1221	.1217	.0943	.0733	.0594	.0502	.0438	.0393	.0358	.0332	.0311	.0294	.0281	.0270
33mm6	.0096	.0197	.0219	.0220	.0261	.0269	.0269	.0268	.0267	.0268	.0269	.0271	.0274	.0277	.0280	.0282
3RS4RSmm6	.0041	.0134	.0164	.0166	.0252	.0293	.0311	.0318	.0320	.0321	.0320	.0319	.0318	.0317	.0316	.0315
345mm6	.0021	.0067	.0082	.0083	.0126	.0146	.0155	.0160	.0160	.0160	.0160	.0159	.0158	.0158	.0158	.0158
3e2m5	.0041	.0134	.0164	.0166	.0252	.0293	.0311	.0318	.0320	.0321	.0320	.0319	.0318	.0317	.0316	.0315
3e3m5	.0001	.0003	.0005	.0005	.0012	.0018	.0023	.0028	.0033	.0036	.0040	.0043	.0047	.0050	.0052	.0055
223RSmmmm5	.0617	.0483	.0430	.0426	.0275	.0197	.0154	.0129	.0113	.0102	.0095	.0090	.0087	.0084	.0082	.0080
224mmmm5	.0397	.0290	.0254	.0252	.0156	.0109	.0084	.0069	.0060	.0054	.0050	.0047	.0045	.0044	.0042	.0041
233mmmm5	.0124	.0166	.0167	.0167	.0151	.0132	.0118	.0109	.0102	.0098	.0096	.0094	.0093	.0092	.0092	.0092
234mmmm5	.2966	.2147	.1864	.1845	.1090	.0718	.0522	.0408	.0336	.0288	.0254	.0230	.0211	.0196	.0185	.0175
2233mmmm4	.1155	.0218	.0141	.0137	.0038	.0017	.0010	.0007	.0005	.0004	.0004	.0003	.0003	.0003	.0003	.0003
nonanes																
9	.0001	.0031	.0054	.0056	.0186	.0325	.0445	.0543	.0622	.0685	.0735	.0776	.0808	.0835	.0857	.0875
2m8	.0022	.0229	.0319	.0325	.0588	.0712	.0765	.0785	.0789	.0787	.0781	.0774	.0767	.0759	.0751	.0744
3RS8	.0006	.0105	.0165	.0170	.0430	.0637	.0782	.0883	.0955	.1006	.1045	.1074	.1096	.1114	.1127	.1138
4RS8	.0006	.0105	.0165	.0170	.0430	.0637	.0782	.0883	.0955	.1006	.1045	.1074	.1096	.1114	.1127	.1138
3e7	.0000	.0012	.0021	.0022	.0079	.0142	.0200	.0248	.0289	.0322	.0349	.0372	.0392	.0409	.0423	.0435
4e7	.0000	.0012	.0021	.0022	.0079	.0142	.0200	.0248	.0289	.0322	.0349	.0372	.0392	.0409	.0423	.0435
22mm7	.0166	.0413	.0418	.0417	.0322	.0239	.0189	.0159	.0139	.0126	.0116	.0110	.0104	.0100	.0097	.0095
23RSmm7	.0057	.0386	.0487	.0494	.0680	.0698	.0671	.0637	.0606	.0578	.0555	.0536	.0520	.0506	.0494	.0484
24RSmm7	.0057	.0386	.0487	.0494	.0680	.0698	.0671	.0637	.0606	.0578	.0555	.0536	.0520	.0506	.0494	.0484
25RSmm7	.0057	.0386	.0487	.0494	.0680	.0698	.0671	.0637	.0606	.0578	.0555	.0536	.0520	.0506	.0494	.0484
26mm7	.0107	.0421	.0470	.0472	.0465	.0390	.0328	.0283	.0250	.0226	.0208	.0193	.0182	.0172	.0165	.0158
33mm7	.0009	.0065	.0084	.0085	.0129	.0143	.0149	.0151	.0153	.0154	.0156	.0158	.0160	.0162	.0164	.0166
3RS4Rmm7	.0008	.0088	.0126	.0129	.0249	.0312	.0343	.0359	.0366	.0370	.0371	.0372	.0372	.0371	.0370	.0370
3RS4Rmm7	.0008	.0088	.0126	.0129	.0249	.0312	.0343	.0359	.0366	.0370	.0371	.0372	.0372	.0371	.0370	.0370
3RS5RSmm7	.0008	.0088	.0126	.0129	.0249	.0312	.0343	.0359	.0366	.0370	.0371	.0372	.0372	.0371	.0370	.0370
3RS5mm7	.0004	.0044	.0063	.0064	.0124	.0156	.0172	.0179	.0183	.0185	.0186	.0186	.0186	.0186	.0185	.0185
44mm7	.0004	.0033	.0042	.0043	.0064	.0072	.0074	.0075	.0076	.0077	.0078	.0079	.0080	.0081	.0082	.0083
3RS2m6	.0008	.0088	.0126	.0129	.0249	.0312	.0343	.0359	.0366	.0370	.0371	.0372	.0372	.0371	.0370	.0370
4e2m6	.0004	.0044	.0063	.0064	.0124	.0156	.0172	.0179	.0183	.0185	.0186	.0186	.0186	.0186	.0185	.0185
3e3m6	.0000	.0003	.0006	.0006	.0017	.0029	.0039	.0048	.0056	.0063	.0070	.0076	.0082	.0087	.0092	.0097
3e4RSmm6	.0001	.0020	.0035	.0034	.0041	.0139	.0175	.0202	.0221	.0236	.0248	.0258	.0266	.0272	.0278	.0283
223RSmm6	.0057	.0160	.0165	.0166	.0136	.0105	.0085	.0073	.0065	.0059	.0055	.0053	.0051	.0049	.0048	.0047
224RSmm6	.0427	.0696	.0633	.0633	.0372	.0235	.0166	.0129	.0107	.0092	.0083	.0076	.0071	.0067	.0064	.0062
225mm6	.1598	.1520	.1231	.1211	.0509	.0262	.0163	.0115	.0088	.0072	.0062	.0055	.0050	.0046	.0043	.0040
233mm6	.0011	.0055	.0064	.0065	.0075	.0070	.0065	.0061	.0059	.0057	.0055	.0053	.0054	.0054	.0054	.0054
23RS4Smm6	.0073	.0325	.0372	.0374	.0393	.0342	.0295	.0259	.0232	.0212	.0197	.0186	.0176	.0169	.0163	.0158
23RS4Rmm6	.0073	.0325	.0372	.0374	.0393	.0342	.0295	.0259	.0232	.0212	.0197	.0186	.0176	.0169	.0163	.0158
23RS5mm6	.0548	.1418	.1434	.1432	.1											

THERMODYNAMIC PROPERTIES OF ALKANE ISOMER GROUPS

1187

Table 14 continued

T/K	200	273	298	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
decanes																
10	.0001	.0021	.0035	.0036	.0113	.0197	.0271	.0332	.0381	.0421	.0453	.0478	.0499	.0515	.0529	.0540
2m9	.0020	.0155	.0207	.0210	.0358	.0431	.0465	.0479	.0484	.0484	.0481	.0477	.0473	.0468	.0464	.0459
3RSm9	.0005	.0071	.0107	.0110	.0262	.0386	.0475	.0539	.0585	.0619	.0643	.0662	.0676	.0687	.0695	.0702
4RSm9	.0005	.0071	.0107	.0110	.0262	.0386	.0475	.0539	.0585	.0619	.0643	.0662	.0676	.0687	.0695	.0702
5m9	.0003	.0036	.0054	.0055	.0131	.0193	.0238	.0270	.0293	.0309	.0322	.0331	.0338	.0344	.0348	.0351
3e8	.0000	.0008	.0014	.0014	.0048	.0086	.0121	.0152	.0177	.0198	.0215	.0230	.0242	.0252	.0261	.0268
4RSe8	.0001	.0016	.0028	.0029	.0096	.0172	.0243	.0303	.0354	.0396	.0430	.0459	.0483	.0504	.0522	.0537
22mm8	.0147	.0280	.0271	.0270	.0196	.0145	.0115	.0097	.0085	.0077	.0072	.0068	.0064	.0062	.0060	.0058
23RSmm8	.0050	.0261	.0316	.0319	.0414	.0423	.0408	.0389	.0371	.0355	.0342	.0330	.0321	.0312	.0305	.0299
24RSmm8	.0050	.0261	.0316	.0319	.0414	.0423	.0408	.0389	.0371	.0355	.0342	.0330	.0321	.0312	.0305	.0299
25RSmm8	.0050	.0261	.0316	.0319	.0414	.0423	.0408	.0389	.0371	.0355	.0342	.0330	.0321	.0312	.0305	.0299
26RSmm8	.0050	.0261	.0316	.0319	.0414	.0423	.0408	.0389	.0371	.0355	.0342	.0330	.0321	.0312	.0305	.0299
27mm8	.0094	.0285	.0305	.0305	.0283	.0236	.0200	.0173	.0154	.0139	.0128	.0119	.0112	.0106	.0102	.0098
33mm8	.0008	.0044	.0055	.0055	.0079	.0087	.0090	.0092	.0094	.0095	.0096	.0097	.0099	.0100	.0101	.0102
3RS4SRmm8	.0007	.0060	.0082	.0083	.0151	.0189	.0209	.0219	.0224	.0227	.0229	.0229	.0229	.0229	.0228	.0228
3RS4RSmm8	.0007	.0060	.0082	.0083	.0151	.0189	.0209	.0219	.0224	.0227	.0229	.0229	.0229	.0229	.0228	.0228
3RS5RSmm8	.0007	.0060	.0082	.0083	.0151	.0189	.0209	.0219	.0224	.0227	.0229	.0229	.0229	.0229	.0228	.0228
3RS5SSRmm8	.0007	.0060	.0082	.0083	.0151	.0189	.0209	.0219	.0224	.0227	.0229	.0229	.0229	.0229	.0228	.0228
3RS6RSmm8	.0003	.0030	.0041	.0042	.0076	.0095	.0104	.0110	.0112	.0114	.0114	.0115	.0115	.0114	.0114	.0114
3RG5mm8	.0002	.0015	.0020	.0021	.0038	.0047	.0052	.0055	.0056	.0057	.0057	.0057	.0057	.0057	.0057	.0057
44mm8	.0008	.0044	.0055	.0055	.0079	.0087	.0090	.0092	.0094	.0095	.0096	.0097	.0099	.0100	.0101	.0102
4RS5RSmm8	.0003	.0030	.0041	.0042	.0076	.0095	.0104	.0110	.0112	.0114	.0114	.0115	.0115	.0114	.0114	.0114
4RS5mm8	.0003	.0030	.0041	.0042	.0076	.0095	.0104	.0110	.0112	.0114	.0114	.0115	.0115	.0114	.0114	.0114
4p7	.0000	.0003	.0005	.0005	.0016	.0029	.0040	.0051	.0059	.0066	.0072	.0077	.0081	.0084	.0087	.0089
41p7	.0003	.0030	.0041	.0042	.0076	.0095	.0104	.0110	.0112	.0114	.0114	.0115	.0115	.0114	.0114	.0114
3RSe2m7	.0007	.0060	.0082	.0083	.0151	.0189	.0209	.0219	.0224	.0227	.0229	.0229	.0229	.0229	.0228	.0228
4RSe2m7	.0007	.0060	.0082	.0083	.0151	.0189	.0209	.0219	.0224	.0227	.0229	.0229	.0229	.0229	.0228	.0228
5e2m7	.0000	.0002	.0004	.0004	.0010	.0017	.0024	.0029	.0034	.0039	.0043	.0047	.0050	.0054	.0057	.0060
3e3m7	.0000	.0002	.0004	.0004	.0010	.0017	.0024	.0029	.0034	.0039	.0043	.0047	.0050	.0054	.0057	.0060
4RSe3RSm7	.0001	.0014	.0021	.0022	.0055	.0084	.0107	.0123	.0136	.0145	.0153	.0159	.0164	.0168	.0172	.0175
4nso3RSm7	.0001	.0014	.0021	.0022	.0055	.0084	.0107	.0123	.0136	.0145	.0153	.0159	.0164	.0168	.0172	.0175
3e5RSm7	.0001	.0014	.0021	.0022	.0055	.0084	.0107	.0123	.0136	.0145	.0153	.0159	.0164	.0168	.0172	.0175
3e4RSm7	.0001	.0014	.0021	.0022	.0055	.0084	.0107	.0123	.0136	.0145	.0153	.0159	.0164	.0168	.0172	.0175
4e4m7	.0000	.0002	.0004	.0004	.0010	.0017	.0024	.0029	.0034	.0039	.0043	.0047	.0050	.0054	.0057	.0060
223RSmm7	.0050	.0108	.0107	.0107	.0083	.0064	.0052	.0044	.0040	.0036	.0034	.0032	.0031	.0030	.0030	.0029
224RSmm7	.0009	.0030	.0033	.0033	.0034	.0031	.0029	.0027	.0025	.0025	.0024	.0024	.0023	.0023	.0023	.0023
225RSmm7	.0009	.0030	.0033	.0033	.0034	.0031	.0029	.0027	.0025	.0025	.0024	.0024	.0023	.0023	.0023	.0023
226mm7	.1409	.1031	.0798	.0783	.0310	.0159	.0099	.0070	.0054	.0044	.0038	.0034	.0031	.0028	.0026	.0025
233mm7	.0010	.0037	.0042	.0042	.0045	.0043	.0040	.0037	.0036	.0035	.0034	.0034	.0033	.0033	.0033	.0033
23RS4Smm7	.0065	.0220	.0241	.0242	.0239	.0207	.0179	.0158	.0142	.0131	.0122	.0114	.0109	.0104	.0100	.0097
23RS4Smm7	.0065	.0220	.0241	.0242	.0239	.0207	.0179	.0158	.0142	.0131	.0122	.0114	.0109	.0104	.0100	.0097
23RS5Smm7	.0065	.0220	.0241	.0242	.0239	.0207	.0179	.0158	.0142	.0131	.0122	.0114	.0109	.0104	.0100	.0097
23RS5SSmm7	.0065	.0220	.0241	.0242	.0239	.0207	.0179	.0158	.0142	.0131	.0122	.0114	.0109	.0104	.0100	.0097
23RS6mm7	.0483	.0961	.0930	.0926	.0655	.0464	.0351	.0281	.0236	.0204	.0182	.0165	.0152	.0142	.0134	.0127
24mm7	.0002	.0010	.0013	.0013	.0019	.0021	.0022	.0023	.0023	.0024	.0024	.0024	.0025	.0025	.0026	.0026
24RS5SRmm7	.0065	.0220	.0241	.0242	.0239	.0207	.0179	.0158	.0142	.0131	.0122	.0114	.0109	.0104	.0100	.0097
24RS5SRmm7	.0065	.0220	.0241	.0242	.0239	.0207	.0179	.0158	.0142	.0131	.0122	.0114	.0109	.0104	.0100	.0097
246mm7	.0242	.0481	.0465	.0463	.0328	.0232	.0175	.0141	.0118	.0102	.0091	.0082	.0076	.0071	.0067	.0064
255mm7	.0075	.0162	.0161	.0160	.0124	.0095	.0078	.0067	.0059	.0054	.0051	.0049	.0047	.0045	.0044	.0044
334RSmm7	.0003	.0017	.0022	.0022	.0033	.0038	.0041	.0042	.0043	.0045	.0046	.0047	.0048	.0049	.0050	.0051
335RSmm7	.0000	.0005	.0007	.0007	.0014	.0019	.0023	.0025	.0028	.0030	.0032	.0034	.0036	.0037	.0039	.0040
3RS44mm7	.0003	.0017	.0022	.0022	.0033	.0038	.0041	.0042	.0043	.0045	.0046	.0047	.0048	.0049	.0050	.0051
3RS45RSmm7	.0009	.0050	.0062	.0063	.0088	.0093	.0092	.0083	.0086	.0083	.0081	.0079	.0078	.0076	.0075	.0074
3RS45Smm7	.0004	.0025	.0031	.0032	.0044	.0046	.0046	.0044	.0043	.0042	.0041	.0040	.0039	.0038	.0038	.0037
r3R45Smm7	.0004	.0025	.0031	.0032	.0044	.0046	.0046	.0044	.0043	.0042	.0041	.0040	.0039	.0038	.0038	.0037
31p2m6	.0032	.0110	.0120	.0121	.0120	.0104	.0090	.0079	.0071	.0065	.0061	.0057	.0054	.0052	.0050	.0049
33ee6	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0003	.0004	.0005	.0006	.0008	.0009	.0010	.0011	.0012
3Re22mm6	.0007	.0025	.0028	.0028	.0030	.0028	.0026	.0025	.0024	.0023	.0023	.0022	.0022	.0022	.0022	.0022
4e22mm6	.0025	.0054	.0054	.0053	.0041	.0032	.0026	.0022	.0020	.0018	.0017	.0016	.0016	.0015	.0015	.0015
3Re23mm6	.0000	.0004	.0006	.0006	.0012	.0017	.0021	.0024	.0026	.0028	.0030	.0032	.0034	.0036	.0037	.0039
4e23RSmm6	.0009	.0050	.0062	.0063	.0088	.0093	.0092	.0089	.0086	.0083	.0081	.0079	.0078	.0076	.0075	.0074
3RSe24SRmm6	.0009	.0050	.0062	.0063	.0088	.0093	.0092	.0089	.0086	.0083	.0081	.0079	.0078	.0076	.0075	.0074
3Re24RSmm6	.0009	.0050	.0062	.0063	.0088	.0093	.0092	.0089	.0086	.0083	.0081	.0079	.0078	.0076	.0075	.0074
4e24mm6	.0001	.0009	.0011	.0011	.0017	.0019	.0020	.0021	.0022	.0022	.0023	.0023	.0024	.0024	.0025	.0025
3e25mm6	.0065	.0220	.0241	.0242	.0239	.0207	.0179	.0158	.0142	.0131	.0122	.0114	.0109	.0104	.0100	.0097
4e33mm6	.0000	.0002	.0003	.0003	.0006	.0009	.0010	.0012	.0013	.0014	.0015	.0016	.0017	.0018	.0019	.0019
3e34RSmm6	.0000	.0001	.0001	.0001	.0004	.0008	.0011	.0013	.0016	.0018	.0020	.0023	.0024	.0026	.0028	.0030
2233mmmm6	.0010	.0015	.0014	.0014	.0009	.0006	.0005	.0004	.0004	.0003	.0003	.0003	.0003	.0003	.0003	.0003
223RS4Smmmm6	.0001	.0006	.0007	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0006	.0006	.0006	.0006	.0006	.0006
223RS4Rmmmm6	.0001	.0006	.0007	.0007	.0007	.0007	.0007	.0007	.0007	.0007	.0007	.0007	.0007	.0007	.0007	.0007
223RS5mmmm6	.0484	.0398	.0316	.0310	.0131	.0070	.0044	.0032	.0025	.0021	.0018	.0016	.0015	.0014	.0013	.0013
224mmmm6	.0000	.0001	.0001	.0001	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002	.0002
224RS5mmmm6	.0083	.0110	.0097	.0096	.0054	.0034	.0025	.0019	.0016	.0014	.0013	.0012	.0011	.0010	.0010	.0010
225mmmm6	.5275	.0931	.0523	.0502	.0085	.0027	.0012	.0007	.0005	.0004	.0003	.0002	.00			

7. Discussion

The values of standard thermodynamic properties of isomer groups calculated here may be used in predicting equilibrium compositions of organic systems at temperature and catalyst conditions where isomers in an isomer group are in equilibrium. If a certain catalyst does not equilibrate all isomers in a group, then the isomer group thermodynamic properties to be used should be calculated by using the properties of only those isomers which are equilibrated. However, the exclusion of highly branched isomers (which in general have very low equilibrium mole fractions) will not have much effect on the calculated isomer group properties, especially at higher temperatures.

The fact that the increments per carbon atom in the various standard thermodynamic properties for isomer groups approach constant values at higher carbon numbers indicates that extrapolations can be made to higher carbon numbers, but these extrapolations must be tempered by the experimental uncertainties. As the carbon number increases, the equilibrium mole fractions of individual molecular species become of less interest because there are so many of them and because gas chromatographic analytical methods yield mole fractions of isomer groups, rather than individual isomers, at higher carbon numbers.

More experimental data is needed on certain highly branched alkanes such as 2255mmmm6 to provide a sounder basis for statistical mechanical correlations of thermodynamic properties and for improvements in Benson group values and non-next-nearest neighbor corrections. In view of the geometric increase in the number of isomers with carbon number, it will also be important to seek opportunities to obtain chemical thermodynamic properties of isomer groups at higher carbon numbers directly from chemical equilibrium data.

8. Nomenclature

C_P°	= standard heat capacity at constant pressure of isomer i , $\text{J K}^{-1} \text{mol}^{-1}$
$C_P^{\circ}(I)$	= standard heat capacity at constant pressure of isomer group I, $\text{J K}^{-1} \text{mol}^{-1}$
$\Delta_f G_i^{\circ}$	= standard Gibbs energy of formation of isomer i , kJ mol^{-1}
$\Delta_f G^{\circ}(I)$	= standard Gibbs energy of formation of isomer group I, kJ mol^{-1}
$H^{\circ}(I, T) - H^{\circ}$	
(I, 298.15 K)	= standard enthalpy for an isomer group relative to the isomer group at 298.15 K, kJ mol^{-1}
$\Delta_f H_i^{\circ}$	= standard enthalpy of formation of isomer i , kJ mol^{-1}
$\Delta_f H^{\circ}(I)$	= standard enthalpy of formation of isomer group I, kJ mol^{-1}
N_I	= number of isomers in an isomer group
r_i	= equilibrium mole fraction of species i in an isomer group
S_i°	= standard entropy of isomer i , $\text{J K}^{-1} \text{mol}^{-1}$

$S^{\circ}(I)$	= standard entropy of isomer group I, $\text{J K}^{-1} \text{mol}^{-1}$
y_i	= mole fraction of isomer i
y_I	= mole fraction of isomer group I
σ_H	= standard deviation of the enthalpies of formation, kJ mol^{-1}

9. Acknowledgments

We are indebted to Arthur L. Anger for assistance in solving the more difficult programming problems, to James C. Nourse for computing the number of stereoisomers, to Frederick D. Green II for assistance with organic nomenclature, to Frederick J. Krambeck and M. W. Chase, Jr. for advice, and to Lillian Alberty for assistance with programming. This research was supported by a grant from the National Bureau of Standards.

10. References

- R. C. Read, in *Chemical Applications of Group Theory*, edited by A. T. Balaban (Academic, New York, 1976), Chap. 4.
- J. C. Nourse, *J. Am. Chem. Soc.* **101**, 1210 (1979).
- B. D. Smith, *AIChE J.* **5**, 26 (1959).
- G. B. Dantzig and J. C. DeHaven, *J. Chem. Phys.* **36**, 2620 (1962).
- R. E. Duff and S. H. Bauer, *J. Chem. Phys.* **36**, 1754 (1962).
- W. R. Smith and R. W. Missen, *Can. J. Chem. Eng.* **52**, 280 (1974).
- W. R. Smith, D. Henderson, and H. Eyring, *Theoretical Chemistry, Advances and Perspectives* (Academic, New York, 1980), Vol. 5.
- W. R. Smith and R. W. Missen, *Chemical Reaction Equilibrium Analysis Theory and Algorithms* (Wiley-Interscience, New York, 1982).
- R. L. Montgomery, Estimation of Thermochemical Properties of Undefined Hydrocarbon Mixtures: Heats of Combustion of Petroleum Fractions, American Chemical Society Meeting, Kansas City, MO, 1982.
- R. A. Alberty, *ID&EC Fundamentals* **22**, 318 (1983).
- R. A. Alberty, *J. Phys. Chem.* **87**, 4999 (1983).
- K. S. Pitzer, *Chem. Rev.* **27**, 39 (1940).
- F. D. Rossini, K. S. Pitzer, R. L. Arnett, R. M. Braun, and G. G. Pimentel, *Selected Values of Physical and Thermodynamic Properties of Hydrocarbons and Related Compounds* (Carnegie, Pittsburgh, 1953).
- D. R. Stull, E. F. Westrum, and G. C. Sinke, *The Chemical Thermodynamics of Organic Compounds* (Wiley, New York, 1969).
- D. W. Scott, "Chemical Thermodynamic Properties of Hydrocarbons and Related Substances," Properties of the Alkane Hydrocarbons, C_1 through C_{10} , in the Ideal Gas State from 0 to 1500 K, U.S. Department of the Interior, Bureau of Mines Bulletin 666, 1974.
- D. W. Scott, *J. Chem. Phys.* **60**, 3144 (1974).
- American Petroleum Research Institute Project 44, Texas A&M University, 1974.
- Nomenclature of Organic Chemistry*, prepared for publication by J. Rigaudo and S. P. Klesney (Pergamon, New York, 1959).
- G. R. Somayajulu and B. J. Zwolinski, *J. Chem. Soc. Faraday Trans. 2* **68**, 1971 (1972).
- D. D. Wagman, W. H. Evans, V. B. Parker, R. H. Schumm, I. Halow, S. M. Bailey, K. L. Churney, and R. L. Nuttall, *The NBS tables of chemical thermodynamic properties*, *J. Phys. Chem. Ref. Data* **11**, Suppl. 2 (1982).
- J. D. Cox and G. Pilcher, *Thermochemistry of Organic and Organometallic Compounds* (Academic, New York, 1970).
- E. J. Prosen and F. D. Rossini, *J. Res. Natl. Bur. Stand.* **34**, 263 (1945).
- S. W. Benson, F. R. Cruickshank, D. M. Golden, G. R. Haugen, H. E. O'Neal, A. S. Rogers, R. Shaw, and R. Walsh, *Chem. Rev.* **69**, 279 (1969).
- S. W. Benson, *Thermochemical Kinetics* (Wiley, New York, 1976).
- C. A. Davies, A. N. Syverud, and E. C. Steiner, part of the documentation in preparation for Program CHETAH 6.x of ASTM Committee E-27.

Appendix: Standard Thermodynamic Properties of Individual Alkane Species

Since tables of standard thermodynamic properties in joules for a standard state pressure of 1 bar have been used to calculate the isomer group properties, the four basic proper-

ties from the Scott tables, as corrected, are given in Tables A1–A4. The standard heat capacities at constant pressure are all zero at 0 K. The standard entropies at 0 K are zero for single species, but are equal to $5.77 \text{ J K}^{-1} \text{ mol}^{-1}$ for racemates. The standard enthalpies of formation at 0 K are not the $\Delta_f H^\circ$ parameters from Eq. (14), but are the ideal gas values calculated by Scott.

Table A1. Standard heat capacity at constant pressure of alkanes in J/K mol

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
methane	.00	33.51	35.69	35.77	40.63	46.53	52.30	58.16	63.60	68.20	72.80	77.0	80.3	83.7	87.9	87.9
ethane	.00	42.26	52.59	52.84	66.23	79.91	92.88	104.18	114.64	124.26	132.63	140.2	146.9	154.8	159.0	163.2
propane	.00	52.89	72.97	73.39	93.97	113.22	130.54	145.60	158.99	171.13	181.59	190.8	199.2	205.0	213.4	217.6
butanes																
4	.00	76.82	97.49	97.91	123.22	147.49	169.03	187.86	204.18	218.40	230.96	241.8	251.5	259.4	267.8	276.1
2m3	.00	70.50	96.78	97.28	123.93	148.57	170.71	189.95	207.11	222.17	235.98	247.7	258.2	267.8	276.1	284.5
pentanes																
5	.00	93.55	120.04	120.62	152.55	182.59	208.78	231.38	250.62	266.94	281.58	293.7	304.6	313.8	322.2	330.5
2m4	.00	84.94	118.87	119.50	152.88	183.26	210.04	233.05	253.13	270.70	286.19	299.6	311.3	322.2	330.5	338.9
22mm3	.00	80.54	120.83	121.55	155.98	186.98	214.64	238.91	261.08	280.33	297.90	313.4	327.2	338.9	351.5	359.8
hexanes																
6	.00	110.58	142.59	143.26	181.54	217.28	248.11	274.05	296.23	315.06	331.37	345.2	357.3	368.2	376.6	389.1
2m5	.00	101.34	142.21	143.01	183.51	219.83	251.04	277.40	300.41	320.08	337.23	351.9	364.8	376.6	389.1	397.5
3m5	.00	98.91	140.12	140.88	181.17	217.48	248.95	275.73	298.74	318.82	335.98	351.0	364.0	376.6	384.9	397.5
22mm4	.00	101.46	141.46	142.26	183.13	220.33	253.13	281.58	306.69	328.44	348.11	365.3	380.3	393.3	405.8	418.4
23mm4	.00	93.14	139.41	140.21	181.71	218.36	250.20	277.40	301.67	322.59	340.58	356.9	370.7	384.9	393.3	405.8
heptanes																
7	.00	127.65	165.18	165.98	210.66	252.09	287.44	317.15	342.25	363.59	381.58	397.1	410.5	422.6	435.1	443.5
2m6	.00	118.57	164.51	165.35	211.96	253.80	289.53	319.66	345.60	367.77	386.60	403.3	417.6	431.0	443.5	451.9
3RSm6	.00	115.39	163.59	164.47	211.71	253.76	289.53	319.66	345.60	367.77	386.60	403.3	417.6	431.0	443.5	451.9
3e5	.00	125.35	165.98	166.82	211.54	252.63	288.28	318.40	343.92	366.10	385.35	402.1	416.3	431.0	439.3	451.9
22mm5	.00	116.86	166.69	167.65	216.77	259.78	296.65	328.03	355.22	379.07	399.99	418.4	434.7	447.7	464.4	477.0
23RSmm5	.00	104.98	160.83	161.84	211.04	253.72	289.95	321.33	347.69	371.12	391.20	408.4	423.8	439.3	451.9	460.2
24mm5	.00	115.44	170.75	171.71	220.08	261.37	296.23	326.35	352.29	374.47	394.13	411.3	426.3	439.3	451.9	464.4
33mm5	.00	113.72	165.77	166.69	215.35	258.45	295.81	327.61	355.22	379.49	400.41	419.2	435.6	451.9	464.4	477.0
223mmmm4	.00	111.46	163.26	164.22	212.84	256.06	293.72	326.35	355.22	380.74	402.92	422.6	440.2	456.1	468.6	481.2
octanes																
8	.00	144.77	187.78	188.70	239.74	286.81	326.77	360.24	388.28	411.71	431.37	448.5	463.2	477.0	489.5	497.9
2m7	.00	135.65	187.23	188.20	241.25	288.78	329.28	363.17	391.62	416.31	436.81	454.8	470.7	485.3	497.9	510.4
3RSm7	.00	132.67	185.81	186.82	240.16	287.82	328.03	362.33	391.20	415.47	436.39	454.4	470.3	485.3	497.9	510.4
4m7	.00	131.88	187.02	188.03	242.34	290.16	330.54	364.43	392.88	417.14	437.65	455.6	471.1	485.3	497.9	510.4
3e6	.00	142.05	189.62	190.58	241.96	288.53	328.44	361.92	390.79	415.05	435.97	454.0	469.4	485.3	497.9	506.3
22mm6	.00	134.72	188.28	189.33	243.84	292.42	333.88	369.45	399.99	426.35	449.36	469.4	487.0	502.1	518.8	531.4
23RSmm6	.00	121.80	184.10	185.18	240.91	289.24	330.12	364.84	394.13	419.66	441.41	460.2	477.0	493.7	506.3	518.8
24RSmm6	.00	129.91	192.30	193.38	247.94	294.76	334.30	368.19	397.06	421.75	443.50	462.3	478.6	493.7	506.3	518.8
25mm6	.00	126.02	185.48	186.52	241.25	289.24	330.12	364.84	394.13	419.66	441.41	460.7	477.0	493.7	506.3	518.8
33mm6	.00	129.12	190.87	191.96	248.70	297.48	338.90	373.63	403.76	429.70	452.29	472.0	489.5	506.3	518.8	531.4
3RS4RSmm6	.00	116.15	181.59	182.72	239.74	288.53	329.70	364.43	393.71	419.24	441.41	460.2	477.0	493.7	506.3	518.8
3RS4Smm6	.00	117.49	183.18	184.26	240.71	288.95	329.70	364.01	393.71	419.24	440.99	459.8	476.6	489.5	506.3	518.8
3e2m5	.00	134.10	192.05	193.05	244.68	290.33	329.70	363.59	392.88	418.40	440.16	459.4	475.7	489.5	506.3	514.6
3e3m5	.00	127.99	187.99	189.07	244.60	293.21	334.72	370.28	400.83	427.19	450.20	470.3	487.9	502.1	518.8	531.4
223RSmm5	.00	121.96	185.64	186.77	243.80	292.92	334.72	370.70	402.08	429.70	453.55	474.5	493.3	510.4	527.2	539.7
224mm5	.00	130.58	188.41	189.45	244.60	293.42	335.56	371.96	403.34	430.53	454.80	475.7	494.5	510.4	527.2	539.7
233mm5	.00	121.25	187.02	188.20	245.18	294.34	336.39	372.79	404.17	431.37	455.22	476.6	495.0	510.4	527.2	539.7
234mm5	.00	123.68	191.59	192.72	247.69	294.43	334.30	369.03	398.74	424.68	447.27	467.4	484.5	502.1	514.6	527.2
2233mmmm4	.00	129.87	187.19	188.28	244.01	293.76	337.23	375.30	409.20	438.90	465.26	488.7	509.6	527.2	543.9	560.7
nonanes																
9	.00	161.92	210.41	211.42	268.82	321.54	366.10	403.34	433.88	459.82	481.58	500.0	516.3	531.4	543.9	556.5
2m8	.00	152.80	209.83	210.92	270.33	323.51	368.61	405.85	437.65	464.42	487.02	506.7	523.4	539.7	552.3	564.8
3RSm8	.00	149.75	208.57	209.66	269.45	322.80	367.77	405.43	437.23	464.01	486.60	506.3	523.0	539.7	552.3	564.8
4RSm8	.00	149.12	209.38	210.41	270.75	324.13	369.03	406.68	438.06	464.42	487.44	506.7	523.8	539.7	552.3	564.8
3e7	.00	159.28	211.88	212.97	270.37	322.50	366.94	404.17	435.97	462.75	485.34	505.0	522.2	535.6	552.3	564.8
4e7	.00	158.70	213.30	214.35	272.34	324.43	368.61	405.85	437.23	463.59	486.18	505.8	522.6	539.7	552.3	564.8
22mm7	.00	151.75	211.25	212.38	273.47	327.73	374.05	412.96	446.01	474.88	499.57	521.3	540.2	556.5	573.2	585.8
23RSmm7	.00	139.87	206.44	207.65	269.07	322.80	368.19	406.68	439.32	466.93	490.78	511.3	529.7	543.9	560.7	573.2
24RSmm7	.00	146.31	215.85	217.07	278.82	331.41	375.75	412.54	444.34	471.12	494.55	514.6	532.2	548.1	560.7	577.4
25RSmm7	.00	140.25	206.98	208.15	269.66	323.38	369.03	407.10	439.74	467.35	491.20	511.7	529.7	543.9	560.7	573.2
26mm7	.00	143.43	210.41	210.41	271.96	325.68	371.12	409.20	441.41	468.61	492.46	513.0	530.9	548.1	560.7	573.2
33mm7	.00	147.15	212.84	214.01	276.10	330.28	376.14	415.05	448.11	476.56	501.24	522.6	541.8	558.1	573.2	589.9
3RS4Rmm7	.00	134.39	206.44	207.65	270.66	324.55	369.87	407.94	440.16	467.77	491.62	512.1	530.1	548.1	560.7	573.2
3RS4RSmm7	.00	133.01	204.76	206.02	269.62	324.13	369.87	407.94	440.16	467.77	491.62	512.1	530.1	548.1	560.7	573.2
3RS5RSmm7	.00	143.39	212.51	213.68	274.68	327.36	371.96	409.61	441.41	469.09	492.16	513.0	530.9	548.1	560.7	573.2
3RS5mm7	.00	145.52	214.39	215.56	275.81	327.86	371.96	409.61	441.41	469.03	492.46	513.0	530.9	548.1	560.7	573.2
44mm7	.00	144.52	215.98	217.23	282.09	336.60	382.0									

Table A1 continued

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
decanes																
10	.00	179.08	233.05	234.18	297.98	356.43	405.85	446.43	479.90	508.36	531.79	551.9	569.4	585.8	598.3	610.9
2m9	.00	169.95	232.46	233.68	299.49	358.40	407.94	449.36	483.67	512.54	537.23	558.1	576.6	594.1	606.7	623.4
3RSm9	.00	166.86	231.17	232.38	298.53	357.52	407.10	448.52	482.83	512.12	536.81	557.7	576.1	594.1	606.7	623.4
4RSm9	.00	166.19	232.00	233.26	300.03	359.11	408.78	449.78	484.09	512.96	537.64	558.6	576.6	594.1	606.7	623.4
5m9	.00	166.31	231.46	232.67	299.24	358.36	407.94	449.36	483.67	512.54	537.23	558.1	576.6	594.1	606.7	623.4
3e8	.00	176.36	234.64	235.81	299.66	357.52	406.68	447.69	482.00	510.87	535.55	556.9	575.3	589.9	606.7	619.2
4RSe8	.00	175.81	235.35	236.52	300.96	358.86	407.94	448.52	482.83	511.70	536.39	557.3	575.7	589.9	606.7	619.2
22mm8	.00	168.95	233.89	235.14	302.50	362.38	412.96	455.64	492.04	523.00	549.78	572.8	592.9	610.9	627.6	644.3
23RSmm8	.00	159.90	229.20	230.50	298.30	357.82	407.94	449.78	485.34	515.47	540.99	560.2	582.4	590.0	615.0	631.0
24RSmm8	.00	163.59	238.11	239.41	307.27	365.47	414.22	455.22	489.53	518.82	544.34	565.7	584.9	602.5	619.2	631.8
25RSmm8	.00	156.73	230.41	231.75	300.24	359.82	409.61	451.45	486.60	516.72	542.25	564.0	583.2	602.5	615.0	631.8
26RSmm8	.00	157.53	230.58	231.88	300.16	359.70	409.61	451.45	486.60	516.72	542.25	564.0	583.2	602.5	615.0	631.8
27mm8	.00	160.58	231.88	233.17	301.12	360.58	410.45	452.29	487.44	517.14	542.66	564.8	584.1	602.5	615.0	631.8
33mm8	.00	164.18	235.77	237.07	305.72	365.60	415.89	458.57	494.55	525.09	551.87	574.5	595.0	615.0	627.6	644.3
3RS4SRmm8	.00	152.42	228.78	230.12	298.82	358.11	407.94	449.78	484.93	515.05	540.57	562.7	582.4	598.3	615.0	631.8
3RS4RSmm8	.00	151.08	227.15	228.49	297.78	357.73	407.94	449.78	485.34	515.47	540.99	563.2	582.4	598.3	615.0	631.8
3RS5RSmm8	.00	159.79	236.06	237.40	305.56	364.01	412.96	453.96	488.69	518.40	543.50	565.3	584.5	602.5	615.0	631.8
3RS5SSRmm8	.00	161.88	237.94	239.28	306.05	364.55	413.38	453.96	488.69	518.40	543.50	565.3	584.5	602.5	615.0	631.8
3RS6RSmm8	.00	154.35	228.32	229.62	297.86	357.40	407.52	449.36	484.93	515.05	540.99	563.2	582.4	598.3	615.0	631.8
44mm8	.00	162.59	237.94	239.28	309.49	369.41	419.24	461.08	496.64	527.18	553.12	575.7	595.8	615.0	631.8	644.3
4RS5RSmm8	.00	149.87	227.90	229.28	299.53	359.70	410.03	451.87	487.02	516.72	542.25	564.0	583.2	602.5	615.0	631.8
4RS5mm8	.00	151.25	229.70	231.04	300.62	360.12	410.03	451.45	486.60	516.31	541.83	564.0	583.2	598.3	615.0	631.8
4p7	.00	175.02	236.52	237.73	303.09	361.20	410.03	450.62	484.51	513.38	547.64	558.6	576.6	594.1	606.7	623.4
41p7	.00	167.36	238.03	239.24	303.72	360.58	409.20	450.20	485.34	515.05	540.57	562.3	582.0	598.3	615.0	627.6
3RS2e2m7	.00	167.99	237.32	238.53	302.63	359.45	407.94	449.36	484.51	514.21	539.74	561.9	581.6	598.3	615.0	627.6
4PSe2m7	.00	174.35	242.17	243.43	308.61	365.77	414.22	454.80	489.11	518.40	543.92	565.3	584.5	602.5	615.0	631.8
5e2m7	.00	166.90	233.05	234.26	299.87	358.19	407.52	449.36	484.51	514.63	540.15	562.3	582.0	598.3	615.0	627.6
3e3m7	.00	161.42	234.85	236.19	304.89	364.55	415.05	457.31	493.29	524.26	550.61	573.6	594.1	610.9	627.6	644.3
4RS2e3RSm7	.00	162.55	237.02	238.28	303.30	360.08	408.78	449.78	484.51	514.63	540.15	562.3	581.6	598.3	615.0	627.6
4RS2e3RSm7	.00	162.55	237.02	238.28	303.30	360.08	408.78	449.78	484.51	514.63	540.15	562.3	581.6	598.3	615.0	627.6
3e5RSm7	.00	172.30	239.70	240.91	305.01	361.96	410.45	451.87	486.60	516.31	541.83	563.6	582.8	598.3	615.0	631.8
3e4RSm7	.00	162.72	237.27	238.57	303.67	360.45	408.78	450.20	484.93	514.63	540.15	562.3	581.6	598.3	615.0	627.6
4e4m7	.00	158.78	237.78	239.20	310.37	370.28	420.07	461.50	497.06	527.18	553.12	575.7	595.8	615.0	631.8	644.3
223RSmm7	.00	156.44	231.17	232.50	301.79	362.00	412.96	456.47	493.71	525.51	553.54	577.8	599.1	619.2	636.0	652.7
224RSmm7	.00	161.13	233.38	234.72	303.67	363.97	415.05	458.15	495.39	527.17	554.80	579.1	600.4	619.2	636.0	652.7
225RSmm7	.00	155.94	229.16	230.50	299.57	360.20	411.71	455.64	492.88	525.09	553.12	577.4	598.7	619.2	636.0	652.7
226mm7	.00	159.37	233.47	234.81	304.55	364.89	415.89	458.98	495.80	527.60	555.22	579.1	600.4	619.2	636.0	652.7
233mm7	.00	154.56	233.76	235.14	305.43	365.77	416.73	459.82	496.64	528.44	556.05	579.9	601.2	619.2	636.0	652.7
23RS4SRmm7	.00	154.89	237.86	239.24	306.90	364.59	413.38	455.22	490.78	521.33	547.69	570.3	590.8	606.7	623.4	640.2
23RS4RSmm7	.00	151.50	234.72	236.10	305.47	364.22	413.80	455.22	491.20	521.74	548.10	570.7	590.8	610.9	623.4	640.2
23RS5RSmm7	.00	148.41	230.83	232.25	302.50	362.21	412.12	454.38	490.36	521.33	547.69	570.7	590.8	606.7	623.4	640.2
23RS5SRmm7	.00	152.13	234.43	235.77	304.18	362.50	411.71	453.55	489.53	520.49	546.85	569.9	589.9	606.7	623.4	640.2
23RS6mm7	.00	146.06	227.11	228.49	298.78	358.86	409.61	451.87	488.27	519.23	546.01	569.0	589.1	606.7	623.4	640.2
244mm7	.00	158.11	237.48	238.91	309.78	370.20	420.91	463.59	499.99	531.37	558.98	582.4	603.3	623.4	640.2	656.9
24RS5SRmm7	.00	147.99	233.43	234.85	305.60	364.76	414.22	456.06	491.20	521.74	548.10	570.7	590.8	610.9	623.4	640.2
24RS5RSmm7	.00	146.82	231.88	233.30	304.60	364.30	414.22	456.06	491.20	522.16	548.10	571.1	591.2	610.9	623.4	640.2
246mm7	.00	160.46	244.85	246.27	315.64	372.96	420.91	461.08	495.80	525.51	554.45	573.6	593.7	610.9	627.6	640.2
255mm7	.00	155.56	232.84	234.18	303.13	363.21	414.22	457.73	494.97	527.18	554.80	579.1	600.4	619.2	636.0	652.7
334RSmm7	.00	148.99	232.17	233.59	304.80	365.35	416.31	459.40	496.22	528.44	556.05	579.9	601.2	619.2	636.0	652.7
335RSmm7	.00	156.36	232.80	234.14	303.98	363.84	415.05	458.57	496.22	528.02	556.05	579.9	601.2	619.2	636.0	652.7
3RS44mm7	.00	147.19	233.47	234.85	303.97	363.67	412.12	454.08	489.95	520.49	547.27	569.9	590.4	606.7	623.4	640.2
3e22mm6	.00	157.11	226.35	227.65	296.14	356.90	408.78	452.71	490.36	523.00	551.03	575.7	597.1	615.0	636.0	648.5
4e22mm6	.00	171.13	234.89	236.14	301.96	361.25	412.12	455.64	492.88	525.09	553.12	577.4	598.7	619.2	636.0	652.7
3RS23mm6	.00	152.00	236.77	238.20	308.11	367.27	417.56	459.82	496.64	528.02	555.64	579.5	600.8	619.2	636.0	652.7
4e23RSmm6	.00	166.27	241.79	243.05	307.40	363.76	412.12	453.55	489.11	519.65	546.01	569.0	589.1	606.7	623.4	640.2
3RS245Rmm6	.00	154.22	230.45	231.79	299.83	358.78	408.78	451.04	487.02	518.40	545.18	568.2	588.3	606.7	623.4	640.2
3RS24RSmm6	.00	153.55	229.33	230.66	298.95	358.32	408.78	451.04	487.44	518.40	545.18	568.2	588.7	606.7	623.4	640.2
4e24mm6	.00	156.31	233.59	234.97	304.68	365.05	416.31	459.40	496.64	528.44	556.47	580.3	601.7	619.2	636.0	652.7
3e25mm6	.00	161.00	239.49	240.79	306.65	363.55	4									

Table A2. Standard entropy of alkanes in J/K mol

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
methane	.00	172.70	186.38	186.59	197.51	207.18	216.00	224.79	232.74	240.69	248.22	255.3	262.0	268.3	275.0	280.9
ethane	.00	210.57	229.23	229.56	246.59	262.82	278.76	293.83	309.73	322.28	336.09	349.1	361.6	373.3	385.0	396.3
propane	.00	245.17	270.02	270.48	294.41	317.47	339.43	360.77	381.27	400.94	419.35	436.9	454.1	470.4	485.9	500.9
butanes																
4	.00	276.17	310.44	311.06	342.65	372.78	401.36	428.97	455.33	480.43	503.86	526.5	547.8	568.3	588.0	606.4
2m3	.00	261.65	294.71	295.25	326.96	357.26	386.29	414.33	440.69	465.79	490.06	513.1	535.2	556.2	576.2	595.5
pentanes																
5	.00	307.59	349.56	350.31	389.35	426.67	462.44	496.33	528.55	559.09	587.96	615.2	641.1	666.2	689.6	712.2
2m4	.00	303.45	343.74	344.45	383.49	420.89	456.58	490.89	523.11	554.07	583.36	611.4	637.8	663.3	687.5	710.6
22mm3	.00	258.47	306.00	306.76	347.59	385.79	422.28	457.00	490.06	521.85	551.98	581.3	608.9	635.7	661.2	685.4
hexanes																
6	.00	339.06	388.85	389.72	436.17	480.60	523.11	563.28	601.35	637.33	671.64	703.9	734.4	763.3	790.9	817.7
2m5	.00	332.86	380.98	381.86	428.64	473.53	516.42	557.00	595.91	632.31	667.04	699.7	731.1	760.8	788.8	816.0
3m5	.00	335.79	383.03	383.87	430.02	474.41	516.83	557.42	595.91	631.89	666.62	699.3	730.6	759.9	788.4	815.2
22mm4	.00	310.44	358.34	359.18	405.79	450.68	493.82	535.24	574.15	611.81	647.37	681.3	713.5	744.9	774.6	803.0
23mm4	.00	319.85	365.92	366.75	412.90	457.46	500.10	540.68	579.59	616.41	651.14	684.2	716.0	746.5	775.0	802.6
heptanes																
7	.00	370.52	428.09	429.10	482.99	534.49	583.78	630.22	674.57	715.99	755.32	792.1	827.3	860.8	892.6	922.7
2m6	.00	364.62	420.52	421.52	475.54	527.42	577.08	623.94	668.29	710.55	750.30	788.0	823.5	857.4	889.6	920.6
3RSm6	5.77	370.94	426.04	427.05	480.94	532.78	582.52	629.38	673.73	715.57	755.32	793.0	829.0	862.9	895.1	926.0
3e5	.00	354.24	411.65	412.65	466.79	518.47	567.88	614.32	658.67	700.51	740.26	777.9	813.1	847.4	879.2	910.1
22mm5	.00	336.80	392.69	393.70	448.80	501.86	552.40	600.93	646.54	689.63	730.64	769.5	806.8	841.9	875.8	908.5
23RSmm5	5.77	361.94	414.66	415.62	469.09	521.02	570.39	617.67	662.44	704.70	744.44	782.9	818.9	853.6	886.3	917.7
24mm5	.00	340.27	397.00	398.05	454.24	507.88	558.67	606.79	651.98	694.65	735.24	773.7	810.1	844.9	877.9	909.3
33mm5	.00	342.95	398.26	399.26	453.99	506.75	557.00	605.12	650.72	694.24	735.24	774.1	811.4	847.0	880.8	913.5
223mmmm4	.00	329.14	363.45	384.41	438.47	490.64	540.68	588.38	633.99	677.50	718.50	758.3	795.5	831.5	865.8	898.4
octanes																
8	.00	401.98	467.34	468.47	529.76	588.42	644.45	697.58	747.37	794.23	838.58	880.8	920.6	958.2	993.8	1028.1
2m7	.00	396.00	459.68	460.81	522.32	581.35	637.75	690.89	741.51	789.21	833.98	876.2	916.8	954.9	991.3	1026.0
3RSm7	5.77	402.74	465.62	466.75	527.88	586.71	642.77	695.91	746.54	793.81	839.00	881.3	921.4	959.9	995.9	1030.6
4m7	.00	394.54	457.50	458.68	520.31	579.64	636.08	689.63	740.26	787.96	833.14	875.4	916.0	954.1	990.5	1025.2
3e6	.00	392.61	457.97	459.09	521.02	580.10	636.50	689.63	739.84	787.54	831.89	874.6	914.7	952.8	989.2	1023.9
22mm6	.00	369.18	432.82	433.99	496.04	555.75	613.07	667.04	718.50	767.04	813.48	857.0	898.8	938.2	976.2	1012.2
23RSmm6	5.77	391.44	452.07	453.15	514.24	573.32	629.80	684.61	733.98	782.10	827.29	870.4	911.0	949.9	986.7	1022.3
24RSmm6	5.77	383.82	447.71	448.89	512.19	572.65	629.80	684.19	735.24	783.35	828.96	872.1	913.1	952.4	989.2	1024.4
25mm6	.00	380.77	442.44	443.57	504.87	563.99	620.60	674.15	724.78	772.48	818.08	860.8	901.8	940.7	977.5	1012.6
33mm6	.00	375.08	438.34	439.51	502.69	563.53	621.43	676.66	728.54	777.50	823.94	867.9	909.7	949.5	987.5	1023.9
3RS4RSmm6	5.77	387.05	446.08	447.17	507.75	566.62	623.11	676.66	727.29	774.99	820.17	863.3	904.3	943.2	979.6	1015.1
3R4Smm6	.00	386.08	445.75	446.88	507.84	566.83	623.11	676.66	727.29	775.41	820.59	863.7	904.3	943.2	980.0	1015.1
3e2m5	.00	379.14	443.87	444.99	507.75	567.33	623.94	677.50	728.13	775.82	821.01	863.7	904.3	943.2	980.0	1015.1
3e3m5	.00	362.19	424.70	425.83	488.01	547.88	605.12	659.51	710.97	759.92	805.95	849.9	891.7	931.0	969.1	1005.5
223RSmm5	5.77	363.11	423.99	425.12	486.88	546.62	603.86	658.25	709.72	759.09	805.53	849.5	891.7	931.9	970.4	1007.2
224mmmm5	.00	360.06	423.07	424.20	486.42	546.33	603.44	658.25	709.72	759.09	805.53	849.9	892.1	932.7	970.8	1007.6
233mmmm5	.00	365.96	427.13	428.26	490.43	550.52	608.05	662.44	714.32	763.69	810.55	854.9	897.2	937.3	975.8	1012.6
234mmmm5	.00	365.75	428.51	429.68	492.90	553.28	610.56	664.95	715.99	764.53	810.55	854.1	895.5	935.2	972.5	1008.5
2233mmmm4	.00	326.92	389.47	390.60	452.53	512.40	569.97	624.78	677.08	727.29	774.57	820.2	863.7	905.1	944.9	983.3
nonanes																
9	.00	433.41	506.54	507.84	576.54	642.31	705.11	764.11	820.17	872.89	922.26	969.1	1013.5	1055.3	1095.1	1133.1
2m8	.00	427.42	498.93	500.18	569.09	635.24	698.42	758.25	814.32	867.45	917.66	964.9	1009.7	1052.4	1092.6	1131.5
3RSm8	5.77	434.07	504.78	506.04	574.66	640.64	703.44	763.27	819.34	872.47	922.68	970.0	1014.7	1057.4	1097.6	1136.1
4RSm8	5.77	432.07	502.82	504.07	572.98	639.26	702.60	762.43	818.50	871.64	921.85	969.5	1014.3	1056.6	1097.2	1135.6
3e7	.00	424.37	497.46	498.76	567.96	633.99	696.75	756.16	812.22	865.36	915.15	962.4	1007.2	1049.9	1090.0	1128.5
4e7	.00	421.86	495.12	496.42	566.12	632.61	695.91	755.32	811.81	864.94	914.73	962.0	1006.8	1049.5	1089.6	1128.1
22mm7	.00	400.39	471.90	473.19	542.77	609.76	673.73	734.40	791.72	846.11	897.16	946.1	992.1	1036.1	1077.9	1118.1
23RSmm7	5.77	423.78	492.36	493.61	561.94	627.84	690.89	750.72	807.20	860.34	910.97	958.7	1003.9	1046.9	1087.9	1127.3
24RSmm7	5.77	412.78	484.53	485.83	556.96	624.95	689.69	750.30	807.20	861.18	912.22	960.3	1005.9	1049.0	1090.0	1129.4
25RSmm7	5.77	425.12	493.86	495.12	563.61	629.63	692.56	752.39	809.30	862.43	913.06	960.8	1006.4	1049.5	1090.5	1129.4
26mm7	.00	411.86	481.60	482.90	552.02	618.59	682.10	742.35	798.84	852.81	903.02	951.1	996.7	1039.8	1080.8	1120.2
33mm7	.00	407.51	478.63	479.95	550.18	617.75	682.10	743.19	790.51	855.32	906.78	955.3	1001.8	1046.1	1087.9	1128.1
3RS4Smm7	5.77	424.44	489.01	490.27	558.84	625.16	688.38	748.63	805.11	858.25	908.87	957.0	1002.2	1045.3	1086.3	1125.6
3RS4RSmm7	5.77	422.40	489.30	490.56	558.76	624.91	688.38	748.21	804.69	858.25	908.87	956.6	1001.8	1045.3	1086.3	1125.2
3RS5RSmm7	5.77	411.86	482.44	483.74	553.07	620.81	684.61	744.66	801.76	855.32	905.95	954.1	1002.9	1042.3	1083.3	1122.7
3RS5mm7	.00	409.93	481.35	482.65	553.15	620.39	684.19	744.44	801.35	854.90						

THERMODYNAMIC PROPERTIES OF ALKANE ISOMER GROUPS

1193

Table A2 continued

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
decanes																
10	.00	464.83	545.79	547.21	623.32	696.24	765.78	831.47	893.39	951.55	1006.36	1057.8	1106.8	1153.2	1196.7	1238.6
2m9	.00	458.84	538.13	539.55	615.91	689.17	759.09	825.19	887.54	946.11	1001.34	1053.6	1103.0	1149.9	1194.2	1236.9
3RSm9	5.77	465.50	543.99	545.41	621.43	694.53	764.11	830.22	892.56	951.13	1006.36	1058.7	1107.6	1154.5	1199.2	1241.5
4RSm9	5.77	463.45	541.98	543.40	619.76	693.19	763.27	829.38	891.72	950.30	1005.94	1057.8	1107.6	1154.5	1198.8	1241.1
5m9	.00	458.17	536.62	538.05	614.20	687.46	757.41	823.52	885.86	944.44	999.67	1052.0	1101.3	1148.2	1192.5	1234.8
3e8	.00	455.75	536.67	538.09	614.74	687.92	757.82	823.52	885.44	944.02	999.25	1051.1	1100.5	1147.4	1191.7	1234.0
4RS _e 8	5.77	459.56	540.52	541.98	618.92	692.39	762.43	828.12	890.47	949.04	1004.27	1056.6	1105.9	1152.4	1196.7	1239.4
22mm8	.00	431.82	511.14	512.57	589.55	663.61	731.34	801.35	864.52	924.36	980.84	1034.4	1085.0	1133.1	1179.2	1223.1
23RSmm8	5.77	455.12	531.52	532.90	608.67	681.81	751.56	817.66	880.01	939.00	994.65	1047.4	1097.2	1144.9	1189.6	1232.1
24RSmm8	5.77	444.58	524.07	525.54	603.94	678.88	749.88	817.25	880.01	939.42	995.48	1048.6	1098.4	1146.1	1191.3	1234.4
25RSmm8	5.77	454.49	531.10	532.48	608.71	682.27	752.39	818.92	881.68	940.67	996.32	1049.0	1099.2	1146.5	1191.7	1234.4
26RSmm8	5.77	455.71	532.48	533.86	610.14	683.65	753.65	820.17	882.93	941.93	997.58	1050.3	1100.5	1147.8	1193.0	1235.6
27mm8	.00	443.24	520.85	522.27	598.84	672.52	742.77	809.30	872.06	931.47	987.12	1039.8	1089.6	1137.3	1182.5	1225.6
33mm8	.00	438.72	517.71	519.18	596.96	671.73	743.19	810.55	874.15	933.98	990.88	1044.4	1095.5	1143.6	1189.6	1233.6
3RS4SRmm8	5.77	453.78	529.30	530.72	606.54	679.72	749.46	815.57	877.91	936.91	992.55	1045.3	1095.1	1142.3	1187.5	1230.2
3RS4Smm8	5.77	454.74	529.60	530.98	606.41	679.47	749.05	815.57	877.91	936.91	992.55	1045.3	1095.1	1142.3	1187.1	1230.2
3RS5Rmm8	5.77	446.58	524.99	526.46	604.28	678.88	749.88	816.41	879.59	939.00	994.65	1047.8	1097.6	1145.3	1190.5	1233.6
3RS5SRmm8	5.77	444.68	523.95	525.37	603.69	678.46	749.46	816.41	879.17	938.58	994.23	1047.4	1097.2	1144.9	1190.0	1233.1
3RS6Rmm8	5.77	451.69	527.42	528.84	604.41	677.42	746.95	813.48	875.82	934.40	990.04	1042.8	1092.6	1140.2	1185.0	1227.7
3RS6mm8	.00	451.69	527.42	528.84	604.41	677.42	746.85	813.48	875.82	934.40	990.04	1042.8	1092.6	1140.2	1185.0	1227.7
44mm8	.00	433.87	512.98	514.45	593.11	668.76	740.63	808.46	872.47	932.72	989.63	1043.6	1094.6	1142.8	1188.8	1233.1
4RS5SRmm8	5.77	446.21	521.02	522.40	598.21	671.68	741.93	808.46	870.80	930.21	985.86	1038.6	1088.4	1136.1	1180.8	1223.9
4R5Smm8	.00	445.25	520.73	522.15	598.38	671.98	742.35	808.88	871.22	930.21	985.86	1039.0	1088.8	1136.1	1181.3	1224.3
4p7	.00	442.23	523.28	524.74	602.19	676.20	746.54	812.64	875.40	933.98	989.63	1041.9	1091.3	1138.2	1182.5	1224.8
41p7	.00	437.92	518.26	519.68	597.50	671.52	741.51	808.04	870.38	938.95	985.02	1037.3	1087.5	1134.8	1179.6	1222.7
3RS2e _m 7	5.77	446.04	526.33	527.80	605.33	677.09	749.05	815.15	877.49	936.49	991.72	1044.4	1094.2	1141.5	1186.3	1229.4
4RS2e _m 7	5.77	439.76	522.15	523.61	602.73	677.83	749.05	815.99	879.17	938.16	994.23	1047.4	1097.2	1144.9	1189.6	1223.7
5e2m7	.00	446.79	525.75	527.17	603.69	677.00	746.95	813.06	875.40	933.98	989.63	1042.3	1092.1	1139.4	1184.2	1227.3
3e3m7	.00	430.10	508.42	509.85	587.42	662.02	733.15	800.09	863.69	923.52	980.42	1034.0	1084.6	1133.1	1178.7	1222.7
4RS3RS _m 7	5.77	444.41	523.70	525.16	602.82	676.70	746.95	813.06	875.40	933.98	989.63	1042.3	1092.1	1139.4	1184.2	1227.3
4RS3SR _m 7	5.77	444.41	523.70	525.16	602.82	676.70	746.95	813.06	875.40	933.98	989.63	1042.3	1092.1	1139.4	1184.2	1227.3
3e5RS _m 7	5.77	443.70	525.24	526.71	604.95	676.79	748.98	815.99	878.75	937.97	993.39	1046.1	1096.3	1143.6	1188.8	1231.5
3e4RS _m 7	5.77	444.49	523.86	525.33	603.07	677.08	747.37	813.48	875.82	934.82	990.46	1042.8	1092.6	1139.8	1185.0	1227.7
4e4m7	.00	424.03	502.44	503.91	582.73	658.59	730.64	798.42	862.43	923.10	979.58	1033.6	1084.6	1133.1	1179.2	1223.1
223RSmm7	5.77	424.41	521.05	508.42	580.95	657.42	732.53	790.89	854.06	914.31	970.80	1024.8	1076.2	1124.8	1171.2	1215.6
224RSmm7	5.77	426.88	504.83	506.25	583.40	657.55	728.96	796.33	859.92	920.17	977.07	1031.0	1082.5	1131.0	1177.9	1222.3
225RSmm7	5.77	430.68	506.79	508.17	584.15	657.63	728.13	795.07	858.25	918.08	974.98	1029.0	1080.0	1129.0	1175.0	1219.7
226mm7	.00	421.90	499.51	500.93	578.26	652.81	723.94	791.30	855.32	915.57	972.47	1026.4	1077.9	1126.9	1173.3	1217.7
233mm7	.00	424.53	501.44	502.86	580.39	655.16	726.45	794.23	857.83	918.08	975.40	1029.8	1080.8	1129.8	1176.7	1221.0
23RS4SRmm7	5.77	430.39	508.59	510.01	588.38	663.19	733.98	800.93	864.11	923.94	980.00	1034.0	1084.2	1132.3	1177.5	1221.4
23RS4Rmm7	5.77	432.28	509.05	505.50	587.21	662.81	733.57	800.93	864.11	923.52	980.00	1033.1	1083.8	1131.9	1177.5	1221.0
23RS5Rmm7	5.77	439.05	514.37	515.75	592.48	666.54	737.33	803.88	867.03	926.45	982.93	1036.1	1086.7	1134.8	1180.4	1223.9
23RS5SRmm7	5.77	437.05	513.91	515.33	592.82	667.08	737.75	804.27	867.45	926.87	982.93	1036.5	1086.7	1134.8	1180.4	1223.9
23RS6mm7	5.77	445.87	519.89	521.27	596.87	670.14	740.26	806.79	869.55	928.54	984.61	1037.7	1088.4	1136.5	1181.7	1225.6
244mm7	.00	424.41	502.73	504.20	582.90	658.63	730.64	798.84	863.27	923.94	981.26	1036.1	1087.5	1136.5	1183.3	1227.7
24RS5SRmm7	5.77	435.54	511.31	512.69	590.26	664.99	736.08	803.02	866.20	926.03	982.51	1035.6	1086.3	1134.4	1180.0	1223.5
24RS5Rmm7	5.77	436.58	511.77	513.19	590.39	664.91	736.08	803.02	866.20	926.03	982.09	1035.6	1086.3	1134.4	1180.0	1223.5
246mm7	.00	420.48	500.98	502.44	583.15	655.89	732.31	800.09	864.11	924.36	980.84	1034.8	1085.4	1134.0	1179.6	1223.5
255mm7	.00	431.77	508.76	510.18	587.21	661.43	732.31	799.77	863.27	923.52	980.40	1034.4	1085.9	1134.8	1181.3	1225.6
334RSmm7	5.77	429.76	505.37	506.79	584.03	658.67	729.80	797.58	861.18	921.43	978.75	1032.7	1084.2	1133.1	1179.6	1224.3
335RSmm7	5.77	436.42	513.53	514.95	591.98	666.29	737.33	804.36	869.88	928.95	985.86	1039.8	1091.3	1140.2	1187.1	1231.5
3RS4Rmm7	5.77	426.29	501.94	503.36	581.52	657.08	728.96	797.16	861.81	921.81	979.17	1033.1	1084.6	1133.6	1180.4	1224.8
s3RS4Rmm7	.00	424.83	502.57	503.99	582.15	656.66	727.29	794.23	856.99	916.41	972.47	1026.0	1076.2	1124.4	1170.0	1213.5
r3RS4Rmm7	.00	428.72	503.82	505.24	581.94	655.95	726.45	793.40	856.16	915.99	972.05	1025.2	1075.8	1123.9	1169.5	1213.1
31p2m6	.00	431.61	508.13	509.51	585.70	659.05	728.96	795.49	858.25	917.24	973.31	1026.4	1076.7	1124.8	1170.4	1213.9
33ee6	.00	401.10	482.36	483.86	562.86	638.09	709.30	776.66	840.26	900.09	956.57	1010.1	1061.2	1109.3	1155.3	1199.2
34ee6	.00	426.17	509.80	511.31	590.81	665.24</td										

Table A3. Standard enthalpy of formation of alkanes in kJ/mol

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
methane	-66.7	-71.9	-74.7	-74.8	-77.8	-80.7	-83.3	-85.4	-87.0	-88.3	-89.5	-90.4	-90.8	-91.2	-91.2	-91.2
ethane	-68.0	-78.7	-83.7	-83.8	-88.6	-92.7	-96.2	-98.7	-99.2	-101.3	-101.7	-101.7	-100.8	-100.0	-98.3	-96.7
propane	-82.6	-98.0	-104.9	-105.0	-111.3	-116.7	-120.9	-124.3	-126.4	-128.0	-128.9	-128.9	-128.4	-127.2	-125.9	-124.3
butanes																
4	-98.9	-117.7	-125.7	-125.9	-133.5	-139.9	-145.2	-149.0	-151.9	-153.6	-154.8	-154.8	-154.0	-152.3	-151.0	
2m3	-106.0	-126.2	-134.6	-134.7	-142.3	-148.6	-153.6	-157.3	-159.8	-161.5	-161.9	-161.9	-160.7	-159.4	-157.3	-154.8
pentanes																
5	-114.4	-136.8	-146.4	-146.5	-155.5	-162.9	-168.6	-173.2	-176.6	-178.7	-179.9	-180.3	-179.9	-179.1	-177.8	-176.1
2m4	-119.0	-143.1	-153.1	-153.4	-162.2	-169.6	-175.3	-179.9	-182.8	-184.5	-185.4	-185.4	-184.5	-182.8	-180.7	-178.2
22mm3	-135.5	-160.4	-168.4	-168.6	-176.6	-183.3	-188.3	-192.0	-194.6	-195.4	-195.0	-193.7	-191.2	-187.9	-184.1	-179.5
hexanes																
6	-130.1	-155.9	-167.0	-167.2	-177.5	-186.0	-192.5	-197.9	-201.3	-203.8	-205.0	-205.9	-205.4	-205.0	-203.3	-201.7
2m5	-134.6	-162.4	-173.8	-174.1	-184.2	-192.5	-198.7	-203.8	-207.1	-208.8	-209.6	-209.6	-208.8	-207.1	-205.0	-202.5
3m5	-131.7	-159.6	-171.3	-171.5	-181.8	-190.4	-197.1	-202.1	-205.4	-207.5	-208.4	-208.8	-207.9	-206.3	-204.2	-201.7
22mm4	-143.4	-172.4	-183.9	-184.1	-194.3	-202.6	-208.8	-213.4	-216.3	-217.6	-217.1	-215.9	-213.8	-210.5	-206.7	-202.1
23mm4	-135.1	-104.3	-176.2	-176.4	-186.8	-195.3	-201.7	-206.7	-209.6	-211.7	-212.1	-211.7	-210.5	-208.4	-205.4	-202.1
heptanes																
7	-145.7	-175.0	-187.6	-187.9	-199.5	-209.0	-216.3	-222.2	-226.4	-228.9	-230.5	-231.4	-231.0	-230.5	-229.3	-227.6
2m6	-150.2	-181.5	-194.5	-194.7	-206.3	-215.7	-223.0	-228.4	-232.2	-234.7	-235.6	-236.0	-235.1	-233.5	-231.4	-228.9
3RSm6	-147.4	-178.9	-192.1	-192.3	-203.9	-213.3	-220.5	-225.9	-229.7	-232.2	-233.5	-233.5	-232.6	-231.4	-229.3	-226.4
3e5	-145.8	-176.9	-189.5	-189.7	-201.3	-210.7	-218.0	-223.8	-227.6	-230.1	-231.4	-231.8	-230.1	-229.7	-227.6	-225.1
22mm5	-159.1	-192.0	-205.0	-205.3	-216.4	-225.3	-231.8	-236.8	-239.3	-241.0	-240.6	-239.3	-236.8	-233.9	-229.7	-225.1
23RSmm5	-147.3	-180.4	-194.1	-194.3	-206.1	-215.6	-223.0	-228.0	-231.8	-233.9	-234.7	-234.3	-233.0	-230.5	-228.0	-224.3
24mm5	-155.7	-188.8	-201.5	-201.8	-212.5	-221.2	-227.6	-232.6	-235.6	-237.2	-237.7	-237.2	-235.6	-233.0	-230.1	-226.4
33mm5	-153.3	-186.3	-199.4	-199.7	-211.0	-220.0	-226.8	-231.4	-234.3	-235.6	-234.3	-231.8	-228.4	-224.3	-219.2	
223mmmm4	-156.6	-190.4	-203.7	-204.0	-215.5	-224.8	-231.8	-236.8	-239.7	-241.0	-240.6	-238.9	-236.0	-232.2	-227.2	-221.8
octanes																
8	-161.4	-194.1	-208.2	-208.5	-221.5	-232.1	-240.2	-246.4	-251.0	-254.4	-256.1	-256.9	-256.9	-256.1	-254.8	-253.1
2m7	-165.9	-200.6	-215.1	-215.4	-228.2	-238.7	-246.9	-252.7	-256.9	-259.4	-261.1	-260.2	-259.0	-256.9	-254.4	
3RSm7	-163.1	-198.1	-212.7	-213.0	-226.0	-236.5	-244.8	-250.6	-254.8	-257.7	-259.0	-259.4	-258.6	-257.3	-255.2	-252.7
4m7	-163.0	-198.3	-212.9	-213.2	-226.0	-236.3	-244.3	-250.2	-254.4	-256.9	-258.2	-258.2	-257.3	-256.1	-254.0	-251.0
3e6	-161.5	-196.3	-210.4	-210.6	-223.4	-233.8	-241.8	-248.1	-252.3	-255.2	-256.5	-256.9	-256.1	-254.8	-253.1	-250.6
22mm6	-174.8	-211.1	-225.6	-225.8	-238.5	-248.7	-256.1	-261.9	-265.3	-266.9	-266.1	-263.6	-260.7	-256.5	-251.9	
23RSmm6	-163.0	-199.7	-214.9	-215.2	-228.2	-238.7	-246.4	-252.7	-256.5	-259.0	-259.4	-258.2	-256.1	-253.1	-249.8	
24RSmm6	-168.6	-205.4	-219.8	-220.1	-232.3	-242.1	-249.8	-255.2	-258.6	-261.1	-261.1	-259.8	-257.3	-254.4	-251.0	
25mm6	-170.2	-206.9	-221.9	-222.2	-235.1	-245.5	-253.6	-259.4	-263.2	-265.7	-266.5	-266.5	-264.8	-262.8	-260.2	-256.5
33mm6	-168.9	-206.0	-220.5	-220.8	-233.1	-242.7	-249.8	-254.8	-257.7	-259.4	-259.0	-257.7	-255.2	-251.9	-247.7	-242.7
3RS4RSmm6	-159.4	-196.4	-212.0	-212.3	-225.5	-236.0	-243.9	-249.8	-254.0	-256.5	-257.3	-257.3	-255.6	-253.6	-251.0	-247.3
3RS4Smm6	-159.6	-196.6	-212.0	-212.3	-225.4	-235.8	-243.9	-249.8	-253.6	-256.1	-257.3	-256.9	-255.6	-253.6	-250.6	-247.3
3e2m5	-161.6	-198.1	-212.3	-212.5	-225.0	-235.2	-243.1	-248.9	-253.1	-255.6	-256.5	-256.5	-255.2	-253.6	-250.6	-247.3
3e3m5	-162.8	-198.8	-214.6	-214.8	-227.4	-237.5	-245.2	-250.6	-254.0	-255.6	-255.6	-254.4	-251.9	-248.9	-244.8	-239.7
223RSmm5	-168.0	-205.8	-220.9	-221.2	-234.0	-244.1	-251.5	-256.9	-260.2	-261.9	-261.5	-259.8	-256.9	-253.1	-248.5	-243.1
224mmmm5	-172.5	-210.4	-225.0	-225.2	-237.9	-247.9	-255.2	-260.7	-264.0	-265.3	-264.8	-263.2	-260.2	-256.5	-251.5	-245.6
23mmmm5	-165.1	-202.9	-218.0	-218.2	-230.9	-240.9	-248.1	-253.6	-256.5	-257.7	-257.3	-255.6	-252.7	-248.5	-243.9	-238.1
234mmmm5	-163.9	-201.8	-216.4	-216.6	-228.9	-238.8	-246.4	-251.9	-255.2	-257.3	-257.3	-256.9	-254.8	-251.9	-248.1	-243.5
2233mmmm4	-172.6	-211.0	-225.7	-226.0	-238.7	-248.8	-256.1	-261.1	-264.0	-264.4	-263.2	-260.7	-256.1	-250.6	-243.9	-236.4
nonanes																
9	-177.1	-213.3	-228.9	-229.2	-243.5	-255.2	-264.4	-271.1	-276.1	-279.5	-281.6	-282.4	-282.4	-282.0	-280.7	-279.1
2m8	-181.6	-219.8	-235.8	-236.1	-250.3	-261.8	-270.7	-277.4	-282.0	-284.9	-286.2	-286.6	-286.2	-284.9	-282.8	-279.9
3RSm8	-178.7	-217.2	-233.3	-233.6	-247.9	-259.5	-268.6	-275.3	-279.9	-282.8	-284.5	-284.9	-284.1	-282.8	-280.7	-278.2
4RSm0	-178.7	-217.4	-203.5	-203.8	-248.0	-259.5	-269.2	-274.9	-279.5	-282.4	-283.7	-284.1	-280.7	-282.0	-279.9	-277.4
3e7	-177.2	-215.4	-231.0	-231.3	-245.4	-257.0	-266.1	-272.8	-277.4	-280.7	-282.4	-282.8	-282.4	-281.2	-279.1	-276.6
4e7	-177.2	-215.7	-231.2	-231.5	-245.5	-256.9	-265.7	-272.4	-277.0	-279.9	-281.6	-282.0	-281.6	-280.3	-278.2	-275.7
22mm7	-190.5	-230.3	-246.2	-246.5	-260.5	-271.6	-279.9	-286.2	-290.2	-292.0	-292.0	-291.2	-289.1	-285.8	-282.0	-277.0
23RSmm7	-178.7	-218.8	-235.5	-235.8	-250.2	-261.8	-270.7	-277.4	-281.6	-284.5	-285.8	-285.8	-284.5	-282.4	-279.9	-276.1
24RSmm7	-184.2	-224.8	-240.7	-241.0	-254.4	-265.1	-273.2	-279.1	-282.8	-285.3	-286.2	-285.8	-284.5	-282.4	-279.1	-275.3
25RSmm7	-183.1	-223.5	-240.1	-240.4	-254.8	-266.3	-275.3	-281.6	-286.2	-288.7	-290.0	-290.0	-288.7	-286.6	-284.1	-280.3
26mm7	-186.0	-226.2	-242.6	-242.9	-257.0	-268.3	-277.0	-283.3	-287.4	-290.0	-291.2	-291.2	-289.5	-287.4	-284.5	-281.2
33mm7	-184.7	-225.1	-241.1	-241.4	-255.1	-266.0	-274.1	-279.9	-283.7	-285.3	-285.3	-284.5	-282.0	-278.7	-274.5	-269.9
3RS4Smm7	-175.3	-215.9	-232.8	-233.1	-247.4	-258.9	-267.8	-274.1	-278.2	-281.2	-282.0	-282.0	-280.7	-279.1	-277.2	-272.8
3RS4Smm7	-175.1	-215.8	-232.8	-233.1	-247.6	-259.1	-267.8	-274.5	-278.7	-281.2	-282.4	-282.4	-281.2	-279.1	-277.2	-272.8
3RS5Smm7	-181.3	-222.0	-238.2	-238.5	-252.3	-263.4	-272.0	-278.2	-282.4	-284.9	-285.8	-285.8	-284.5	-282.4	-279.5	-275.7
3RS5Smm7	-181.6	-222.1	-238.1	-238.4	-252.0	-263.0	-271.5	-277.8	-282.0	-284.5	-285.3	-285.3	-284.1	-282.0	-279.1	-275.3
44mm7	-184.6	-225.7	-241.7	-242.0	-255.2	-265.5	-272.8	-278.2	-281.6	-282.8	-282.8	-281.6	-282.8	-281.7	-278.7	-275.3
3Se2m6	-177.2	-216.7	-233.1	-233.4	-247.1	-258.4	-266.9	-273.6	-278.2	-280.7	-282.0	-282.0	-281.2	-279.1	-276.1	-272.8
4e2m6	-182.8	-222.9	-238.2	-238.4	-251.8	-262.7	-271.1	-277.4	-281.2	-284.1	-284.9	-284.9	-283.3	-281.2	-278.2	

Table A3 continued

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
decanes																
10	-192.7	-232.5	-249.5	-249.9	-265.5	-278.2	-287.9	-295.4	-300.8	-304.6	-306.7	-307.9	-307.9	-307.5	-306.3	-304.6
2m9	-197.3	-238.9	-256.4	-256.7	-272.3	-284.8	-294.6	-301.7	-306.7	-310.0	-311.7	-312.1	-311.7	-310.0	-308.4	-305.4
3RSm9	-194.3	-236.3	-254.0	-254.3	-270.0	-282.6	-292.5	-299.6	-304.6	-307.9	-309.6	-310.5	-309.6	-308.4	-306.4	-303.8
4RSm9	-194.3	-236.5	-254.2	-254.5	-270.0	-282.5	-292.0	-299.2	-304.2	-307.5	-309.2	-310.0	-309.2	-307.9	-305.4	-302.9
5m9	-194.3	-236.4	-254.1	-254.4	-270.0	-282.6	-292.0	-299.6	-304.6	-307.5	-309.2	-310.0	-309.2	-307.9	-305.9	-303.3
3e8	-192.8	-234.6	-251.7	-252.0	-267.4	-280.0	-290.0	-297.1	-302.1	-305.9	-307.5	-308.4	-307.9	-306.7	-304.6	-302.1
4RSe8	-192.8	-234.8	-251.8	-252.2	-267.5	-280.0	-289.5	-296.6	-301.7	-305.4	-307.1	-307.5	-307.1	-305.9	-304.2	-301.2
22mm8	-206.2	-249.5	-266.9	-267.2	-282.5	-294.8	-303.8	-310.5	-314.6	-317.1	-317.6	-317.1	-314.6	-311.7	-307.9	-302.9
23RSmm8	-194.4	-237.9	-256.1	-256.4	-272.2	-284.8	-294.6	-301.7	-306.7	-309.6	-310.9	-311.3	-310.0	-307.9	-305.0	-301.7
24RSmm8	-199.9	-243.9	-261.3	-261.6	-276.4	-288.2	-297.1	-303.8	-308.4	-310.9	-311.7	-311.7	-310.5	-308.4	-305.0	-301.7
25RSmm8	-198.7	-242.8	-261.0	-261.3	-276.9	-289.3	-298.7	-305.9	-310.5	-313.4	-314.6	-314.6	-313.4	-311.3	-308.8	-305.0
26RSmm8	-198.8	-242.8	-260.8	-261.2	-276.7	-289.2	-298.7	-305.9	-310.5	-313.4	-314.6	-314.6	-313.4	-311.3	-308.4	-305.0
27mm8	-201.7	-245.3	-263.2	-263.6	-279.0	-291.4	-300.8	-307.5	-312.1	-315.1	-316.3	-316.3	-315.1	-313.0	-306.7	
33mm8	-200.4	-244.2	-261.8	-262.1	-277.1	-289.0	-297.9	-304.2	-308.4	-310.5	-310.5	-309.6	-307.5	-304.2	-300.0	-295.0
3RS4SRmm8	-191.0	-235.0	-253.3	-253.7	-269.4	-282.0	-291.6	-298.7	-303.8	-306.7	-308.4	-308.4	-307.1	-305.4	-302.5	-299.2
3RS4RSmm8	-190.8	-234.8	-253.4	-253.7	-269.6	-282.3	-292.0	-299.2	-303.8	-307.1	-308.4	-308.4	-307.5	-305.4	-302.5	-299.2
3RS5RSmm8	-197.0	-241.4	-259.0	-259.4	-274.4	-286.4	-295.4	-302.1	-306.7	-309.2	-310.5	-310.5	-308.8	-306.7	-303.8	-300.4
3RS5RSmm8	-197.2	-241.5	-258.9	-259.2	-274.1	-286.0	-295.0	-301.7	-306.3	-308.8	-310.0	-310.0	-308.8	-306.3	-303.3	-300.0
3RS6RSmm8	-195.9	-240.0	-258.4	-258.7	-274.5	-287.2	-297.1	-304.2	-308.8	-312.1	-313.4	-313.8	-312.5	-310.5	-307.9	-304.2
3RS6mm8	-195.9	-240.0	-258.4	-258.7	-274.5	-287.2	-297.1	-304.2	-308.8	-312.1	-313.4	-313.8	-312.5	-310.5	-307.9	-304.2
4mm8	-200.4	-244.7	-262.2	-262.5	-277.2	-288.7	-297.1	-303.3	-307.1	-308.8	-309.2	-307.9	-305.4	-302.1	-297.9	-292.9
4RS5RSmm8	-190.7	-235.1	-253.6	-254.0	-269.7	-282.2	-291.6	-298.7	-303.3	-306.3	-307.5	-307.5	-306.3	-304.2	-301.2	-297.9
4RS5mm8	-191.0	-235.3	-253.6	-254.0	-269.5	-282.0	-291.2	-298.3	-302.9	-306.3	-307.5	-307.5	-306.3	-304.2	-301.2	-297.9
4p7	-192.8	-235.0	-252.0	-252.4	-267.5	-279.8	-289.1	-296.2	-300.8	-304.2	-305.9	-306.3	-305.9	-304.6	-302.5	-300.0
4ip7	-193.0	-236.8	-254.0	-254.3	-269.4	-281.6	-291.2	-298.3	-302.9	-306.3	-307.5	-306.7	-304.6	-302.1	-298.7	
3RS2e2m7	-192.9	-236.6	-253.8	-254.1	-269.2	-281.6	-291.2	-298.3	-303.3	-306.3	-307.9	-308.4	-307.1	-305.4	-302.5	-299.2
4RS2e2m7	-198.5	-242.3	-259.0	-259.3	-273.9	-285.6	-294.6	-301.2	-305.4	-308.4	-309.2	-309.2	-307.9	-305.9	-302.9	-299.2
5e2m7	-197.2	-240.9	-258.4	-258.7	-274.2	-286.8	-296.2	-303.8	-308.4	-311.7	-313.0	-313.4	-312.1	-310.5	-307.5	-304.2
3e3m7	-194.3	-238.6	-256.3	-256.6	-271.7	-283.7	-292.5	-303.3	-305.4	-309.5	-309.0	-309.2	-309.6	-305.4	-295.4	-290.8
4RS3RSm7	-189.6	-233.8	-251.2	-251.6	-266.6	-278.9	-288.3	-295.4	-300.4	-303.8	-305.0	-305.4	-304.2	-302.5	-300.0	-296.6
4RS3SRm7	-189.6	-233.8	-251.2	-251.6	-266.6	-278.9	-288.3	-295.4	-300.4	-303.8	-305.0	-305.4	-304.2	-302.5	-300.0	-296.6
3e5Rsm7	-195.7	-239.6	-256.5	-256.8	-271.7	-283.8	-293.3	-300.0	-304.6	-307.9	-309.2	-307.9	-307.9	-305.9	-303.3	-299.6
3e4Rsm7	-189.6	-233.8	-251.2	-251.5	-266.6	-278.8	-288.3	-295.4	-300.4	-303.3	-305.0	-305.0	-304.2	-302.1	-299.6	-296.2
4e4m7	-194.1	-239.2	-256.8	-257.1	-271.8	-283.2	-291.6	-297.5	-301.2	-303.3	-303.3	-302.5	-300.0	-296.6	-292.5	-287.4
223RSmm7	-199.5	-244.3	-262.4	-262.7	-278.2	-290.4	-299.6	-306.3	-310.5	-312.5	-311.3	-311.3	-308.8	-305.0	-300.4	-295.0
224RSmm7	-201.0	-246.3	-264.1	-264.4	-279.7	-291.8	-300.8	-310.1	-310.9	-313.0	-313.0	-311.7	-308.8	-305.0	-304.0	-294.6
225RSmm7	-207.5	-252.9	-271.2	-271.5	-287.2	-299.6	-308.8	-315.9	-320.1	-322.2	-322.2	-321.3	-318.4	-314.6	-310.0	-304.6
226mm7	-210.5	-255.9	-273.7	-274.1	-289.2	-301.2	-310.0	-316.3	-320.5	-322.2	-322.2	-320.9	-318.0	-314.2	-309.6	-303.8
233mm7	-196.6	-241.7	-259.7	-260.0	-275.1	-287.0	-295.8	-302.1	-305.9	-307.9	-307.5	-306.3	-303.3	-299.6	-294.6	-288.7
23RS4SRmm7	-192.3	-237.4	-255.1	-255.5	-270.3	-282.2	-291.2	-297.9	-302.1	-304.6	-305.4	-305.0	-302.9	-300.0	-296.6	-292.0
23RS4RSmm7	-191.7	-237.1	-255.1	-255.4	-270.5	-282.5	-291.6	-297.9	-302.5	-305.0	-305.4	-305.0	-302.9	-300.4	-296.6	-292.0
23RS5RSmm7	-196.6	-242.5	-260.9	-261.2	-276.6	-288.9	-297.9	-304.6	-309.2	-311.7	-312.5	-312.1	-310.0	-307.1	-303.3	-299.2
23RS5RSmm7	-197.2	-242.8	-260.8	-261.2	-276.3	-288.4	-297.5	-304.6	-309.8	-311.7	-312.1	-311.7	-310.0	-307.1	-303.8	-299.2
23RS6mm7	-198.6	-244.3	-263.0	-263.3	-279.1	-291.7	-301.2	-308.4	-313.0	-315.5	-316.3	-316.3	-314.2	-311.7	-307.9	-303.8
24mm7	-198.1	-244.0	-261.7	-262.0	-276.7	-288.2	-296.6	-302.5	-305.9	-307.5	-307.1	-305.4	-302.1	-297.9	-287.0	
24RS5SRmm7	-196.3	-242.2	-260.5	-260.8	-275.9	-287.8	-296.6	-303.6	-307.5	-310.0	-310.9	-310.5	-308.4	-305.4	-301.7	-297.1
24RS5RSmm7	-196.1	-242.0	-260.5	-260.8	-276.0	-288.0	-297.1	-303.8	-307.9	-310.5	-310.9	-310.5	-308.4	-305.4	-301.7	-297.5
246mm7	-205.4	-251.3	-268.4	-268.7	-282.8	-293.8	-302.1	-307.9	-311.7	-313.8	-314.2	-313.4	-310.9	-307.9	-304.2	-299.6
255mm7	-204.8	-250.4	-268.4	-268.7	-284.1	-294.2	-305.4	-311.7	-315.5	-317.6	-317.6	-316.3	-313.4	-309.6	-305.0	-299.2
334RSmm7	-192.4	-237.7	-256.0	-256.4	-271.6	-283.5	-292.5	-302.5	-304.2	-304.2	-302.9	-302.5	-300.0	-296.2	-291.2	-285.3
335RSmm7	-195.1	-240.8	-258.8	-259.2	-274.4	-286.5	-295.4	-302.1	-305.9	-307.5	-307.5	-306.3	-303.3	-299.2	-294.6	-288.7
3RS44mm7	-192.3	-238.1	-256.4	-256.7	-271.6	-283.1	-291.6	-301.2	-305.4	-309.6	-312.1	-312.1	-310.9	-308.4	-304.6	-304.6
3RS44RSmm7	-188.4	-233.7	-251.9	-252.3	-267.4	-279.7	-289.1	-295.8	-300.4	-302.9	-303.8	-303.3	-301.2	-298.7	-295.0	-290.4
31p2m6	-184.3	-229.8	-247.9	-248.3	-263.9	-276.4	-285.8	-292.9	-297.5	-300.4	-301.2	-301.2	-299.6	-296.6	-293.3	-289.1
33ee6	-189.5	-234.2	-251.2	-251.5	-266.1	-277.8	-286.6	-292.9	-297.1	-299.2	-299.6	-299.6	-299.7	-289.5	-284.9	-284.9
34ee6	-188.4	-234.2	-248.8	-249.1	-263.6	-276.5	-284.9	-292.5	-297.5	-300.8	-302.1	-302.5	-302.5	-301.7	-300.0	-294.1
3RS2e2mm6	-188.6	-233.8	-252.2	-252.5	-268.5	-281.3	-290.8	-297.9	-302.5	-305.0	-305.4	-304.2	-301.7	-298.3	-293.7	-288.3
4e22mm6	-199.5	-244.4	-261.7	-262.0	-277.3	-289.6	-298.7	-305.4	-309.6	-312.1	-312.1	-310.9	-310.5	-308.4	-305.4	-304.6
3RS2e3mm6	-189.7	-235.2	-253.1	-253.4	-268.2	-279.9	-288.7	-295.0	-298.7	-300.4	-300.4	-299.2	-296.2	-292.5	-287.4	-282.0
4e23Sm6	-190.3	-235.1	-252.0	-252.3	-267.0	-278.9	-288.3	-295.0	-299.2	-302.1	-302.9	-302.5	-300.8	-297.9	-294.6	-290.4
3RS2e24Sm6	-181.2	-226.5	-245.1	-245.5	-261.0	-273.6	-283.3	-290.4	-295.0	-297.9	-298.7	-298.3	-296.6	-294.1	-290.8	-286.6
3RS2e24RSm6	-181.0	-226.8	-245.1	-245.4	-261.1											

Table A4. Standard Gibbs energy of formation of alkanes in kJ/mol

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
methane	-66.73	-58.05	-50.68	-50.51	-41.96	-32.66	-22.95	-12.48	-2.00	8.47	19.36	30.2	41.1	52.4	63.3	74.2
ethane	-68.03	-47.91	-31.73	-31.44	-13.22	6.09	26.07	46.59	67.54	88.90	109.84	131.2	152.1	173.1	194.0	215.0
propane	-82.59	-49.64	-24.46	-23.96	4.06	33.55	63.79	95.21	126.62	158.45	190.28	222.1	253.9	285.8	317.6	349.0
butanes																
4	-98.87	-51.08	-16.69	-16.02	21.81	61.39	101.93	143.82	185.70	228.00	270.30	313.0	355.3	398.0	440.3	482.7
2m3	-106.02	-56.73	-20.79	-20.12	19.25	60.43	102.77	145.91	189.05	233.02	277.00	320.6	364.5	408.1	451.6	495.2
pentanes																
5	-114.43	-51.98	-8.33	-7.45	40.30	90.10	141.33	193.26	246.04	298.81	352.00	405.2	458.4	511.6	564.8	617.5
2m4	-118.99	-57.46	-13.27	-12.43	35.91	86.34	137.98	190.75	243.94	297.14	350.75	404.4	458.0	511.6	564.8	618.0
22mm3	-135.48	-65.75	-17.37	-16.57	35.91	90.19	145.51	202.05	258.59	315.55	372.50	429.5	486.0	542.5	598.7	654.4
hexanes																
6	-130.08	-52.92	-0.01	1.03	58.71	118.78	180.30	243.13	306.37	369.62	433.70	497.4	561.4	625.1	689.2	752.8
2m5	-134.56	-58.15	-4.53	-3.44	54.99	115.81	178.21	247.46	305.12	369.20	433.70	497.8	562.3	626.4	690.4	754.1
3m5	-131.71	-55.93	-2.52	-1.48	56.79	117.48	179.89	242.71	306.79	370.87	435.37	499.5	564.0	628.0	692.1	756.2
22mm4	-143.43	-63.63	-7.80	-6.71	54.03	117.10	181.56	246.90	313.07	379.24	445.83	512.0	577.8	643.9	709.3	774.6
23mm4	-135.10	-57.44	-2.40	-1.35	58.67	121.04	184.91	249.82	315.16	380.91	447.09	512.8	578.6	643.9	709.7	775.4
heptanes																
7	-145.73	-53.82	8.34	9.56	77.17	147.45	219.70	292.58	366.29	440.84	515.39	589.9	664.5	739.0	813.6	888.2
2m6	-150.25	-59.13	3.74	4.96	73.32	144.35	217.19	290.90	365.46	440.01	515.39	590.4	665.3	740.3	815.3	889.8
3RSm6	-147.36	-67.80	4.45	5.67	73.52	143.98	216.35	299.22	362.36	437.50	512.05	596.6	661.2	735.7	809.8	884.0
3e5	-145.77	-52.40	11.36	12.61	81.85	153.77	227.23	302.20	377.59	453.40	529.20	605.4	681.2	757.5	833.3	909.1
22mm5	-159.08	-64.11	1.48	2.78	73.86	147.49	222.63	298.85	375.50	452.56	529.62	606.7	683.3	760.0	836.2	912.4
23RSmm5	-147.28	-57.46	5.83	7.09	76.08	147.78	220.95	295.51	370.48	445.86	521.67	597.5	672.9	748.3	823.6	898.2
24mm5	-155.69	-61.56	3.66	4.96	75.53	148.62	223.05	298.85	375.08	451.30	527.95	604.2	680.8	757.0	833.3	909.1
33mm5	-153.30	-59.59	5.42	6.71	77.25	150.42	225.14	300.95	377.17	453.40	530.46	606.7	682.9	759.1	834.9	910.3
223mmmm4	-156.57	-60.89	5.54	6.84	78.92	153.64	230.16	307.22	385.12	463.44	541.75	620.1	698.0	775.5	852.9	930.0
octanes																
8	-161.38	-54.72	16.66	18.04	95.62	176.16	258.68	342.44	426.63	511.65	596.67	682.1	767.6	853.0	938.0	1023.5
2m7	-165.90	-60.03	12.06	13.48	91.81	173.07	256.17	340.35	425.37	511.23	596.67	682.5	768.4	853.8	939.7	1024.7
3RSm7	-163.05	-58.78	12.69	14.11	91.81	172.57	255.33	339.10	423.28	508.30	593.74	679.2	764.2	849.6	934.7	1019.7
4m7	-163.01	-57.40	14.90	16.33	94.82	176.29	259.51	344.12	429.14	514.58	600.86	686.3	772.2	858.0	943.9	1029.3
3e6	-161.46	-55.01	17.33	18.75	97.21	178.59	262.02	346.21	431.65	517.09	602.95	688.8	775.1	860.9	946.8	1032.2
22mm6	-174.77	-65.14	9.63	11.10	92.06	175.91	261.60	348.30	435.83	523.37	611.32	698.9	786.8	873.9	961.4	1048.1
23RSmm6	-163.01	-58.23	14.53	15.95	95.07	177.13	261.19	346.21	432.07	517.93	604.62	690.9	777.2	863.5	949.7	1035.6
24RSmm6	-168.57	-62.42	10.93	12.35	91.77	173.99	257.84	342.86	428.72	514.58	600.86	687.1	773.4	859.3	945.1	1030.6
25mm6	-170.25	-63.30	10.43	11.89	91.94	174.91	259.93	345.79	432.49	519.60	607.13	694.2	781.8	868.9	956.0	1042.7
33mm6	-168.95	-61.20	13.02	14.45	94.82	177.96	262.86	348.72	435.00	521.69	608.81	695.1	781.8	868.1	954.3	1039.8
3RS4RSmm6	-159.37	-54.05	19.21	20.68	100.39	183.15	267.88	353.32	440.02	526.71	614.25	700.9	788.1	874.8	961.9	1048.1
3RS4Smm6	-159.58	-54.01	19.34	20.76	100.51	183.23	267.88	353.74	440.02	526.71	614.25	700.9	788.1	874.8	961.9	1048.1
3e2m5	-161.59	-54.13	19.59	21.06	100.85	183.57	267.88	353.74	440.02	527.13	614.25	700.9	788.1	874.8	961.9	1048.1
3e3m5	-162.84	-52.46	23.06	24.53	106.33	190.98	277.50	365.04	452.99	541.36	630.15	718.5	806.9	895.3	982.8	1070.3
223RSmmmm5	-168.03	-58.61	16.91	18.38	100.26	185.03	271.65	359.18	447.55	535.92	624.71	713.1	801.4	889.8	977.3	1064.9
224mmmm5	-172.51	-62.59	13.10	14.61	96.54	181.35	267.88	355.41	443.78	532.57	620.94	709.7	797.7	885.6	973.6	1060.7
233mmmm5	-165.14	-56.31	18.88	20.39	101.89	186.33	272.48	359.60	447.55	535.50	623.87	711.8	799.8	887.3	974.4	1061.1
234mmmm5	-163.93	-55.10	20.09	21.56	102.90	187.04	272.90	360.02	447.55	535.50	623.45	711.8	799.8	887.3	974.8	1062.0
2233mmmm4	-172.59	-56.56	22.39	23.94	109.26	197.46	287.55	378.43	470.14	561.86	653.58	744.9	836.2	927.1	1017.5	1107.6
nonanes																
9	-177.07	-55.70	24.98	26.53	114.03	204.80	297.65	391.89	486.97	582.46	678.37	774.3	870.6	966.5	1062.4	1158.3
2m8	-181.59	-60.97	20.38	21.97	110.22	201.70	295.14	390.22	485.71	582.04	678.37	774.7	871.4	967.8	1064.1	1160.0
3RSm8	-178.70	-59.72	21.05	22.64	110.31	201.24	294.31	388.54	483.62	579.53	675.02	771.4	867.3	963.2	1059.1	1154.6
4RSm8	-178.66	-59.47	21.46	23.03	110.93	202.03	295.14	389.80	484.87	580.37	676.70	772.6	868.5	964.4	1060.3	1156.3
3e7	-177.15	-55.99	25.56	27.16	115.54	207.14	301.00	395.66	491.57	587.90	684.65	781.4	878.1	974.9	1071.2	1168.0
4e7	-177.15	-55.79	26.02	27.62	116.21	207.98	301.84	396.91	492.82	589.15	685.90	782.7	879.4	976.1	1072.9	1169.2
22mm7	-190.50	-66.04	17.95	19.62	110.52	204.63	300.58	397.59	495.75	594.17	693.01	791.0	889.4	987.9	1085.4	1183.0
23RSmm7	-178.74	-59.26	22.64	24.23	113.15	205.42	299.74	395.24	491.57	588.73	685.90	782.7	878.9	976.6	1073.7	1170.1
24RSmm7	-184.22	-63.07	19.75	21.38	110.93	203.58	298.07	393.98	490.31	587.06	683.81	781.0	877.7	974.5	1071.2	1167.6
25RSmm7	-183.09	-64.24	17.53	19.12	107.92	199.89	298.39	398.38	495.71	582.46	679.21	776.0	873.1	969.5	1066.2	1162.5
26mm7	-186.02	-64.28	18.70	20.34	110.31	203.50	298.49	395.24	492.40	589.99	687.99	786.0	883.6	981.2	1078.8	1176.3
33mm7	-184.68	-62.27	21.09	22.72	112.94	206.26	301.42	397.75	494.92	592.50	690.09	787.7	884.8	982.0	1078.8	1175.5
3RS4Rmm7	-175.27	-55.91	26.32	27.91	117.17	209.69	304.35	400.26	496.59	593.76	690.92	788.5	885.7	982.8	1079.6	1176.3
3RS4RSmm7	-175.06	-55.95	26.15	27.78	117.04	209.56	304.35	399.84	496.59	593.76	690.92	788.5	885.7	982.8	1080.0	1176.3
3RS5Rmm7	-181.33	-60.10	22.84	24.48	114.32	207.31	302.25	398.59	495.33	592.92	690.50	788.1	885.7	982.8	1080.4	1177.2
3RS5mm7	-181.59	-59.80	23.30	24.94	114.87	207.89	303.09	399.00	496.17	593.34	691.34	788.9	886.5	983.7	1081.3	1178.4
44mm7	-184.60	-60														

Table A4 continued

T/K	0	200	298.15	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500
decanes																
10	-192.72	-56.60	33.29	35.05	132.48	233.47	336.63	441.34	547.30	653.27	760.07	866.9	973.7	1080.1	1186.9	1293.7
2m9	-197.28	-61.91	28.69	30.49	128.63	230.37	334.54	439.66	546.05	652.85	760.07	867.3	974.1	1081.3	1188.5	1295.3
3RSm9	-194.35	-60.62	29.40	31.16	128.76	229.95	333.28	438.41	543.96	650.34	757.14	863.5	970.3	1076.7	1183.5	1289.9
4RSm9	-194.35	-60.45	29.78	31.54	129.35	230.66	334.12	439.25	545.21	651.59	757.98	864.8	971.6	1078.0	1184.8	1291.1
5m9	-194.26	-59.28	31.45	33.26	131.56	233.51	337.47	443.43	549.81	656.61	763.83	871.1	978.7	1085.9	1193.1	1299.9
3e8	-192.84	-56.94	33.88	35.64	133.95	235.81	339.98	445.52	551.90	658.71	766.34	873.6	981.2	1088.4	1195.6	1302.9
4RSes8	-192.80	-57.90	32.54	34.34	132.23	233.64	337.47	442.59	548.14	654.94	761.74	868.5	975.3	1082.1	1188.9	1295.3
22mm8	-206.19	-67.02	26.27	28.07	128.93	233.26	339.56	447.61	556.09	665.40	774.29	883.6	992.5	1101.4	1209.9	1318.3
23RSmm8	-194.39	-60.20	30.99	32.75	131.65	234.10	338.72	445.10	551.90	659.54	767.18	875.2	982.9	1090.5	1198.1	1305.4
24RSmm8	-199.91	-64.05	28.02	29.82	129.26	232.13	337.05	443.43	550.23	657.87	765.51	873.1	980.8	1088.4	1196.1	1302.9
25RSmm8	-198.74	-64.97	26.27	28.03	126.92	229.37	334.96	440.08	546.88	654.52	762.16	869.8	977.0	1084.7	1191.9	1299.1
26RSmm8	-198.78	-65.14	25.97	27.73	126.50	228.82	333.28	439.25	546.05	653.27	760.90	868.1	975.8	1083.0	1190.2	1297.0
27mm8	-201.67	-65.22	27.06	28.86	128.76	232.17	337.88	444.69	552.74	660.80	769.69	878.2	986.6	1094.7	1203.2	1311.2
33mm8	-200.41	-63.21	29.45	31.25	131.40	234.97	340.81	447.61	555.25	663.31	771.36	879.8	987.5	1095.5	1203.2	1310.4
3RS4Smm8	-191.04	-56.94	34.38	36.18	135.25	237.95	342.91	449.29	556.51	664.14	772.20	880.3	988.3	1096.0	1204.0	1311.2
3RS4Rsm8	-190.83	-57.02	34.26	36.06	135.16	237.86	342.91	449.29	556.51	664.14	772.20	880.3	988.3	1096.0	1204.0	1311.2
3RS5Rsm8	-196.98	-61.91	29.99	31.79	131.19	234.05	339.14	445.10	552.32	659.96	767.60	875.7	983.3	1090.9	1198.1	1305.4
3RS5Smm8	-197.23	-61.62	30.45	32.25	131.73	234.60	339.56	445.94	553.16	660.80	768.44	876.5	984.1	1091.8	1199.0	1306.2
3RS6Rsm8	-195.85	-61.62	29.95	31.75	131.02	233.93	339.14	445.52	553.16	661.21	769.72	877.7	985.8	1093.9	1201.9	1309.6
3RS6Smm8	-195.85	-61.62	29.95	31.75	131.02	233.93	339.14	445.52	553.16	661.21	769.72	877.7	985.8	1093.9	1201.9	1309.6
44mm8	-200.37	-62.71	30.41	32.21	132.78	236.69	342.49	449.71	557.76	665.82	774.29	882.3	990.4	1098.5	1206.1	1313.3
4RS5Rsm8	-190.75	-55.55	36.56	38.40	138.30	241.79	347.51	454.73	562.36	670.84	779.73	888.2	997.1	1105.6	1214.0	1322.1
4RS5Smm8	-191.00	-55.51	36.64	38.49	138.38	241.88	347.51	454.73	562.36	670.84	779.73	888.2	996.7	1105.2	1213.6	1322.1
4p7	-192.76	-54.68	37.48	39.28	138.88	241.96	347.09	453.89	561.53	669.17	777.64	886.1	994.2	1102.6	1210.7	1318.8
4ip7	-192.97	-55.60	37.02	38.82	138.93	242.46	348.34	455.15	563.20	671.68	780.57	889.5	997.9	1106.8	1215.3	1323.4
3RS2e7m	-192.92	-56.98	34.88	36.64	135.96	238.70	343.74	450.12	557.34	664.98	773.46	881.5	989.6	1097.2	1205.3	1312.9
4RS2e7m	-198.49	-61.45	30.87	32.71	132.32	235.27	340.39	446.78	554.00	661.22	769.72	877.3	985.0	1092.6	1200.2	1307.5
5e2m7	-197.19	-61.41	30.41	32.21	131.60	234.56	339.56	446.36	554.00	662.05	770.11	878.6	986.6	1094.7	1203.2	1310.8
3e3m7	-194.26	-55.85	37.69	39.53	140.60	245.14	351.69	459.75	568.22	677.53	786.85	895.7	1005.0	1113.9	1222.4	1330.9
4RS3e7m7	-189.58	-53.92	38.15	39.95	139.51	242.51	347.93	454.31	561.95	670.00	778.06	886.5	994.6	1102.6	1211.1	1318.8
4RS3e7m7	-189.58	-53.92	38.15	39.95	139.51	242.51	347.93	454.31	561.95	670.00	778.06	886.5	994.6	1102.6	1211.1	1318.8
3e5Rsm7	-195.69	-59.53	32.46	34.26	133.61	236.40	341.23	447.61	554.83	662.47	770.53	878.2	986.2	1093.9	1201.5	1308.7
3e4Rsm7	-189.58	-53.92	38.15	39.95	139.47	242.46	347.51	454.31	561.53	669.58	777.64	886.1	994.2	1102.2	1210.3	1317.9
4e4m7	-194.14	-55.18	38.94	40.79	142.40	247.32	354.20	462.26	571.15	680.46	789.77	899.1	1008.0	1116.9	1225.8	1333.8
223RSmm7	-199.53	-60.37	33.80	35.64	137.50	242.92	350.44	459.33	569.06	679.21	789.36	899.5	1009.2	1119.0	1228.3	1337.6
224RSmm7	-201.00	-62.92	30.95	32.79	134.24	239.20	346.25	454.73	563.62	673.35	783.08	892.4	1001.7	1110.6	1219.5	1328.0
225RSmm7	-207.53	-70.28	23.30	25.14	126.46	231.38	338.30	446.78	556.09	666.82	775.55	885.3	995.0	1104.3	1213.2	1322.1
226mm7	-210.54	-71.45	22.92	24.76	126.75	232.21	339.56	448.45	558.18	667.91	778.06	888.2	997.9	1107.2	1216.6	1325.5
233mm7	-196.56	-57.81	36.35	38.19	139.97	245.18	352.53	461.00	570.31	680.04	789.77	899.5	1008.8	1118.1	1227.0	1335.5
23RS4SRmm7	-192.30	-54.76	38.78	40.62	141.65	246.06	352.53	460.58	569.06	677.95	787.26	896.6	1005.9	1114.4	1223.3	1331.7
23RS4Rsm7	-191.71	-54.76	38.69	40.49	141.52	245.98	352.53	460.58	569.06	677.95	787.68	896.6	1005.9	1114.8	1223.7	1332.1
23RS5Rsm7	-196.65	-61.54	31.29	33.09	133.65	237.69	343.74	451.38	559.85	668.75	777.64	886.5	995.4	1103.9	1212.4	1320.9
23RS5Smm7	-197.23	-61.45	31.50	33.30	133.86	237.86	344.16	451.38	559.85	668.75	777.64	886.5	995.4	1103.9	1212.4	1320.4
23RS6mm7	-198.61	-64.63	27.56	29.41	129.43	233.09	339.14	446.36	554.42	662.89	771.78	880.7	989.2	1097.6	1206.1	1314.2
244mm7	-198.07	-60.12	34.01	35.85	137.42	242.34	349.18	457.24	566.13	675.44	784.33	893.6	1002.1	1111.0	1219.1	1327.1
24RS5Smm7	-196.31	-60.49	32.67	34.47	135.29	239.54	345.83	453.47	561.95	670.84	779.73	889.0	997.9	1106.4	1214.9	1323.4
24RS5Rsm7	-196.06	-58.58	32.50	34.34	135.12	239.37	345.83	453.47	561.95	670.42	779.73	888.6	997.5	1106.0	1214.9	1322.9
246mm7	-205.43	-66.64	27.73	29.57	131.27	236.10	342.91	450.96	559.44	668.75	777.64	887.0	995.8	1104.3	1213.2	1321.3
255mm7	-204.81	-67.98	25.47	27.27	128.38	232.92	339.56	447.61	556.51	665.40	775.13	884.0	992.9	1101.8	1210.3	1318.3
334RSmm7	-192.38	-54.89	38.86	40.70	142.11	246.98	353.78	462.26	571.26	680.46	789.77	899.1	1008.4	1117.7	1225.8	1333.8
335RSmm7	-195.14	-59.36	33.63	35.43	136.04	240.12	346.25	453.89	561.95	670.84	779.31	888.2	996.3	1104.7	1212.4	1320.0
3PS4mm7	-192.30	-54.55	39.53	41.37	143.11	245.15	355.46	463.51	572.41	681.72	791.45	900.8	1009.7	1118.5	1227.0	1328.1
3RS45Smm7	-188.36	-51.50	41.91	43.72	144.78	249.33	355.88	463.93	572.82	682.14	791.45	901.2	1010.5	1119.4	1228.3	1337.2
s3R45Smm7	-188.95	-50.32	43.80	45.64	147.29	252.34	359.64	468.12	577.43	687.16	797.31	907.0	1017.2	1126.5	1236.2	1345.5
r3R45Smm7	-188.03	-50.49	43.38	45.22	146.79	251.92	359.22	467.70	577.43	687.16	797.31	907.0	1017.2	1126.9	1236.6	1345.5
31p2m6	-184.31	-47.35	46.10	47.94	149.14	253.89	360.90	469.37	578.26	687.99	798.14	907.9	1018.0	1127.3	1237.1	1346.4
33ee6	-189.45	-45.64	50.57	52.46	156.04	263.01	372.19	482.34	593.33	704.73	816.55	928.0	1039.4	1150.8	1261.7	1372.3
34ee6	-188.28	-4														